

| IEEE Title List | Publication Acronym                                                              | Publication Title   | Open Access Type   | ISSN      | eISSN     | Index | Journal Impact Factor (JIF)* | 5-Year Impact Factor* | Quartile (JIF) | JCI   | Eigenfactor | Article Influence Score (AIS) | CiteScore | Journal URL                                                                                                                     |
|-----------------|----------------------------------------------------------------------------------|---------------------|--------------------|-----------|-----------|-------|------------------------------|-----------------------|----------------|-------|-------------|-------------------------------|-----------|---------------------------------------------------------------------------------------------------------------------------------|
| ACCESS          | IEEE Access                                                                      |                     | Full Open Access   | 2169-3536 | 2169-3536 | SCIE  | 4.2                          | 4.3                   | Q2             | 0.82  | 0.32865     | 0.682                         | 9.3       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=6287639">https://ieeexplore.ieee.org/serve/opa2/punumber=6287639</a>   |
| IEEEDATA        | IEEE Data Descriptions                                                           |                     | Full Open Access   | N/A       | 2995-4274 | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=10347231">https://ieeexplore.ieee.org/serve/opa2/punumber=10347231</a> |
| J-ISPIN         | IEEE Journal of Indoor and Seamless Positioning and Navigation                   |                     | Full Open Access   | N/A       | 2832-7322 | ESCI  | 2.9                          | 2.9                   | Q3             | 0.52  | 0.00015     | 0.451                         | 3.8       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=9955032">https://ieeexplore.ieee.org/serve/opa2/punumber=9955032</a>   |
| JMW             | IEEE Journal of Microwaves                                                       |                     | Full Open Access   | N/A       | 2692-8388 | ESCI  | 4.5                          | 6.3                   | Q2             | 0.90  | 0.00340     | 1.425                         | 8.4       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=9171629">https://ieeexplore.ieee.org/serve/opa2/punumber=9171629</a>   |
| JSAS            | IEEE Journal of Selected Areas in Sensors                                        |                     | Full Open Access   | N/A       | 2836-2071 | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=10057477">https://ieeexplore.ieee.org/serve/opa2/punumber=10057477</a> |
| J-STARS         | IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing |                     | Full Open Access   | 1939-1404 | 2151-1535 | ESCI  | 6.3                          | 6.2                   | Q1             | 1.22  | 0.04507     | 1.364                         | 8.5       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=4609443">https://ieeexplore.ieee.org/serve/opa2/punumber=4609443</a>   |
| JSTAP           | IEEE Journal of Selected Topics in Electromagnetics, Antennas and Propagation    | NEW for 2025        | Full Open Access   | N/A       | 3066-2494 | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=1091858">https://ieeexplore.ieee.org/serve/opa2/punumber=1091858</a>   |
| JEDS            | IEEE Journal of the Electron Devices Society                                     |                     | Full Open Access   | 2168-6734 | 2168-6734 | SCIE  | 2.9                          | 2.7                   | Q2             | 0.59  | 0.00337     | 0.581                         | 4.8       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=6215494">https://ieeexplore.ieee.org/serve/opa2/punumber=6215494</a>   |
| JTEHM           | IEEE Journal of Translational Engineering in Health and Medicine                 |                     | Full Open Access   | 2168-2372 | 2168-2372 | ESCI  | 3.9                          | 4.4                   | Q2             | 0.86  | 0.00187     | 0.851                         | 10.2      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=6221029">https://ieeexplore.ieee.org/serve/opa2/punumber=6221029</a>   |
| JXCDC           | IEEE Journal on Exploratory Solid-State Computational Devices and Circuits       |                     | Full Open Access   | 2329-9231 | 2329-9231 | ESCI  | 3.1                          | 3.1                   | Q2             | 0.66  | 0.00080     | 0.895                         | 6.1       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=6570653">https://ieeexplore.ieee.org/serve/opa2/punumber=6570653</a>   |
| QAIPE           | IEEE Open Access Journal of Power and Energy                                     |                     | Full Open Access   | N/A       | 2687-7910 | ESCI  | 2.8                          | 3.8                   | Q3             | 0.54  | 0.00172     | 0.902                         | 6.7       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8784343">https://ieeexplore.ieee.org/serve/opa2/punumber=8784343</a>   |
| QJAP            | IEEE Open Journal of Antennas and Propagation                                    |                     | Full Open Access   | N/A       | 2637-6431 | ESCI  | 3.4                          | 3.8                   | Q2             | 0.73  | 0.00374     | 0.940                         | 7.1       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8566058">https://ieeexplore.ieee.org/serve/opa2/punumber=8566058</a>   |
| QJACS           | IEEE Open Journal of Circuits and Systems                                        |                     | Full Open Access   | N/A       | 2644-1225 | ESCI  | 1.8                          | 2.7                   | Q3             | 0.46  | 0.00095     | 0.799                         | 4.3       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8784029">https://ieeexplore.ieee.org/serve/opa2/punumber=8784029</a>   |
| QJ-CSS          | IEEE Open Journal of Control Systems                                             |                     | Full Open Access   | N/A       | 2694-085X | ESCI  | 2.1                          | 2.4                   | Q3             | 0.37  | 0.00066     | 0.905                         | 3.7       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=9552933">https://ieeexplore.ieee.org/serve/opa2/punumber=9552933</a>   |
| QJEMB           | IEEE Open Journal of Engineering in Medicine and Biology                         |                     | Full Open Access   | N/A       | 2644-1276 | ESCI  | 3.1                          | 3.4                   | Q2             | 0.64  | 0.00118     | 0.694                         | 5.3       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8782705">https://ieeexplore.ieee.org/serve/opa2/punumber=8782705</a>   |
| QJIA            | IEEE Open Journal of Industry Applications                                       |                     | Full Open Access   | N/A       | 2644-1241 | ESCI  | 3.8                          | 7.9                   | Q2             | 0.70  | 0.00174     | 1.961                         | 5.8       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8782707">https://ieeexplore.ieee.org/serve/opa2/punumber=8782707</a>   |
| QJIM            | IEEE Open Journal of Instrumentation and Measurement                             |                     | Full Open Access   | N/A       | 2768-7236 | ESCI  | 2.0                          | 2.1                   | Q3             | 0.38  | 0.00030     | 0.384                         | 3.7       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=9552935">https://ieeexplore.ieee.org/serve/opa2/punumber=9552935</a>   |
| QJITS           | IEEE Open Journal of Intelligent Transportation Systems                          |                     | Full Open Access   | N/A       | 2687-7813 | ESCI  | 4.6                          | 5.0                   | Q2             | 0.95  | 0.00149     | 0.799                         | 10.3      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8784355">https://ieeexplore.ieee.org/serve/opa2/punumber=8784355</a>   |
| QJNANO          | IEEE Open Journal of Nanotechnology                                              |                     | Full Open Access   | N/A       | 2644-1292 | ESCI  | 3.0                          | 2.6                   | Q3             | 0.35  | 0.00035     | 0.436                         | 6         | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8782713">https://ieeexplore.ieee.org/serve/opa2/punumber=8782713</a>   |
| QJPEL           | IEEE Open Journal of Power Electronics                                           |                     | Full Open Access   | N/A       | 2644-1314 | ESCI  | 4.8                          | 6.0                   | Q2             | 0.96  | 0.00362     | 1.385                         | 9.1       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8782709">https://ieeexplore.ieee.org/serve/opa2/punumber=8782709</a>   |
| QJSP            | IEEE Open Journal of Signal Processing                                           |                     | Full Open Access   | N/A       | 2644-1322 | ESCI  | 2.6                          | 3.2                   | Q3             | 0.63  | 0.00133     | 0.792                         | 4.6       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8782710">https://ieeexplore.ieee.org/serve/opa2/punumber=8782710</a>   |
| QJSE            | IEEE Open Journal of Systems Engineering                                         |                     | Full Open Access   | N/A       | 2771-9987 | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=9745883">https://ieeexplore.ieee.org/serve/opa2/punumber=9745883</a>   |
| QJCOMS          | IEEE Open Journal of the Communications Society                                  |                     | Full Open Access   | N/A       | 2644-125X | ESCI  | 6.2                          | 7.5                   | Q1             | 1.22  | 0.0368      | 1.776                         | 9         | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8782661">https://ieeexplore.ieee.org/serve/opa2/punumber=8782661</a>   |
| QJCS            | IEEE Open Journal of the Computer Society                                        |                     | Full Open Access   | N/A       | 2644-1268 | ESCI  | 6.0                          | 6.4                   | Q1             | 1.35  | 0.00153     | 1.247                         | 9.4       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8782664">https://ieeexplore.ieee.org/serve/opa2/punumber=8782664</a>   |
| QJIES           | IEEE Open Journal of the Industrial Electronics Society                          |                     | Full Open Access   | N/A       | 2644-1284 | ESCI  | 4.6                          | 6.0                   | Q2             | 0.95  | 0.00255     | 1.296                         | 9.1       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8782706">https://ieeexplore.ieee.org/serve/opa2/punumber=8782706</a>   |
| QJSSCS          | IEEE Open Journal of the Solid-State Circuits Society                            |                     | Full Open Access   | N/A       | 2644-1349 | ESCI  | 3.7                          | 4.8                   | Q2             | 0.77  | 0.00135     | 1.983                         | 6         | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8782712">https://ieeexplore.ieee.org/serve/opa2/punumber=8782712</a>   |
| QJUFEC          | IEEE Open Journal of Ultrasonics, Ferroelectrics, and Frequency Control          |                     | Full Open Access   | N/A       | 2694-0884 | ESCI  | 1.8                          | 2.4                   | Q2             | 0.52  | 0.00034     | 0.685                         | 4.5       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=9292640">https://ieeexplore.ieee.org/serve/opa2/punumber=9292640</a>   |
| QJVT            | IEEE Open Journal of Vehicular Technology                                        |                     | Full Open Access   | N/A       | 2644-1330 | ESCI  | 6.6                          | 7.1                   | Q1             | 1.26  | 0.00271     | 1.444                         | 8.7       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8782711">https://ieeexplore.ieee.org/serve/opa2/punumber=8782711</a>   |
| QJID            | IEEE Open Journal on Immersive Displays                                          |                     | Full Open Access   | N/A       | 2836-211X | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | 1.7       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=10053844">https://ieeexplore.ieee.org/serve/opa2/punumber=10053844</a> |
| JPHOT           | IEEE Photonics Journal                                                           |                     | Full Open Access   | 1943-0655 | 1943-0647 | SCIE  | 2.6                          | 2.3                   | Q3             | 0.56  | 0.00765     | 0.439                         | 5.8       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=4563994">https://ieeexplore.ieee.org/serve/opa2/punumber=4563994</a>   |
| JSR             | IEEE Sensors Reviews                                                             |                     | Full Open Access   | 2995-7478 | 2995-7478 | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=10347229">https://ieeexplore.ieee.org/serve/opa2/punumber=10347229</a> |
| LSMC            | IEEE Systems, Man, and Cybernetics Letters                                       |                     | Full Open Access   | N/A       | 2836-628X | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=10167729">https://ieeexplore.ieee.org/serve/opa2/punumber=10167729</a> |
| T-MLCN          | IEEE Transactions on Machine Learning in Communications and Networking           |                     | Full Open Access   | N/A       | 2831-316X | ESCI  | 4.9                          | 4.9                   | Q2             | 0.81  | 0.00105     | 1.100                         | 5.9       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=9882533">https://ieeexplore.ieee.org/serve/opa2/punumber=9882533</a>   |
| T-NSRE          | IEEE Transactions on Neural Systems and Rehabilitation Engineering               |                     | Full Open Access   | 1534-4320 | 1558-0210 | SCIE  | 6.6                          | 6.7                   | Q1             | 2.02  | 0.01843     | 1.372                         | 11        | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=7333">https://ieeexplore.ieee.org/serve/opa2/punumber=7333</a>         |
| TP              | IEEE Transactions on Privacy                                                     |                     | Full Open Access   | N/A       | 2836-208X | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=10167710">https://ieeexplore.ieee.org/serve/opa2/punumber=10167710</a> |
| TQE             | IEEE Transactions on Quantum Engineering                                         |                     | Full Open Access   | N/A       | 2689-1808 | ESCI  | 4.6                          | 5.9                   | Q1             | 0.96  | 0.00280     | 1.417                         | 9.1       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8924785">https://ieeexplore.ieee.org/serve/opa2/punumber=8924785</a>   |
| M-C             | Computer                                                                         |                     | Hybrid Open Access | 0018-9162 | 1558-0814 | SCIE  | 2.2                          | 2.3                   | Q3             | 0.54  | 0.00267     | 0.509                         | 4.2       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=2">https://ieeexplore.ieee.org/serve/opa2/punumber=2</a>               |
| CISE            | Computing in Science & Engineering                                               |                     | Hybrid Open Access | 1521-9615 | 1558-366X | SCIE  | 2.9                          | 2.7                   | Q3             | 0.34  | 0.00135     | 0.695                         | 4.6       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=5992">https://ieeexplore.ieee.org/serve/opa2/punumber=5992</a>         |
| M-AHC           | IEEE Annals of the History of Computing                                          |                     | Hybrid Open Access | 1058-6180 | 1934-1547 | ESCI  | 0.9                          | 0.8                   | Q4             | 0.56  | 0.00200     | 0.322                         | 1.4       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=85">https://ieeexplore.ieee.org/serve/opa2/punumber=85</a>             |
| M-AP            | IEEE Antennas and Propagation Magazine                                           |                     | Hybrid Open Access | 1045-9243 | 1558-4043 | SCIE  | 3.6                          | 4.4                   | Q3             | 0.88  | 0.00198     | 1.089                         | 7.5       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=727">https://ieeexplore.ieee.org/serve/opa2/punumber=727</a>           |
| L-AWP           | IEEE Antennas and Wireless Propagation Letters                                   |                     | Hybrid Open Access | 1536-1225 | 1548-5757 | SCIE  | 4.6                          | 4.8                   | Q2             | 0.96  | 0.02405     | 1.007                         | 8         | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=938308">https://ieeexplore.ieee.org/serve/opa2/punumber=938308</a>     |
| M-BITS          | IEEE BITS: the Information Theory Magazine                                       |                     | Hybrid Open Access | 2692-4080 | 2692-4110 | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=9349829">https://ieeexplore.ieee.org/serve/opa2/punumber=9349829</a>   |
| J-CIECE         | IEEE Canadian Journal of Electrical and Computer Engineering                     |                     | Hybrid Open Access | N/A       | 2694-1783 | SCIE  | 1.6                          | 2.2                   | Q4             | 0.39  | 0.00044     | 0.371                         | 6         | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=9349829">https://ieeexplore.ieee.org/serve/opa2/punumber=9349829</a>   |
| L-COMM          | IEEE Communications Letters                                                      |                     | Hybrid Open Access | 1089-7798 | 1558-2558 | SCIE  | 4.5                          | 4.3                   | Q2             | 0.94  | 0.02934     | 1.155                         | 9.2       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=4234">https://ieeexplore.ieee.org/serve/opa2/punumber=4234</a>         |
| M-COMM          | IEEE Communications Magazine                                                     |                     | Hybrid Open Access | 0163-6804 | 1558-1896 | SCIE  | 8.3                          | 10.0                  | Q1             | 1.78  | 0.00261     | 2.712                         | 15.7      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=35">https://ieeexplore.ieee.org/serve/opa2/punumber=35</a>             |
| M-COMSTD        | IEEE Communications Standards Magazine                                           |                     | Hybrid Open Access | 2471-2825 | 2471-2833 | ESCI  | 5.1                          | N/A                   | Q1             | 1.00  | 0.00245     | N/A                           | 12.6      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=7886829">https://ieeexplore.ieee.org/serve/opa2/punumber=7886829</a>   |
| COMST           | IEEE Communications Surveys and Tutorials                                        |                     | Hybrid Open Access | N/A       | 1553-877X | ESCI  | 50.6                         | 49.5                  | Q1             | 10.71 | 0.03616     | 11.944                        | 98.7      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=9739">https://ieeexplore.ieee.org/serve/opa2/punumber=9739</a>         |
| L-CI            | IEEE Computational Intelligence Letters                                          | Coming in 2026/2027 | Hybrid Open Access | N/A       | 3070-1139 | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=11359446">https://ieeexplore.ieee.org/serve/opa2/punumber=11359446</a> |
| L-CA            | IEEE Computer Architecture Letters                                               |                     | Hybrid Open Access | 1556-6056 | 1556-6064 | SCIE  | 2.0                          | 2.2                   | Q3             | 0.38  | 0.00078     | 0.428                         | 2.7       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=10208">https://ieeexplore.ieee.org/serve/opa2/punumber=10208</a>       |
| M-CG&A          | IEEE Computer Graphics and Applications                                          |                     | Hybrid Open Access | 0272-1716 | 1558-1756 | SCIE  | 2.1                          | 2.2                   | Q3             | 0.53  | 0.00093     | 0.404                         | 3.4       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=38">https://ieeexplore.ieee.org/serve/opa2/punumber=38</a>             |
| L-CSS           | IEEE Control Systems Letters                                                     |                     | Hybrid Open Access | N/A       | 2475-1456 | ESCI  | 1.9                          | 2.3                   | Q3             | 0.42  | 0.01605     | 0.891                         | 4.9       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=7782633">https://ieeexplore.ieee.org/serve/opa2/punumber=7782633</a>   |
| M-EI            | IEEE Electrical Insulation Magazine                                              |                     | Hybrid Open Access | 0883-7554 | 1558-4402 | SCIE  | 2.0                          | 2.5                   | Q3             | 0.35  | 0.00039     | 0.532                         | 3.6       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=57">https://ieeexplore.ieee.org/serve/opa2/punumber=57</a>             |
| L-ED            | IEEE Electron Device Letters                                                     |                     | Hybrid Open Access | 0741-3106 | 1558-0563 | SCIE  | 4.6                          | 4.7                   | Q2             | 0.96  | 0.01717     | 0.926                         | 7.9       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=55">https://ieeexplore.ieee.org/serve/opa2/punumber=55</a>             |
| ED-M            | IEEE Electron Devices Magazine                                                   |                     | Hybrid Open Access | 2832-7683 | 2832-7691 | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=10035030">https://ieeexplore.ieee.org/serve/opa2/punumber=10035030</a> |
| EDR             | IEEE Electron Devices Reviews                                                    |                     | Hybrid Open Access | 2995-424X | 2995-424X | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=10347230">https://ieeexplore.ieee.org/serve/opa2/punumber=10347230</a> |
| LES             | IEEE Embedded Systems Letters                                                    |                     | Hybrid Open Access | 1943-0663 | 1943-0671 | SCIE  | 1.7                          | 1.7                   | Q4             | 0.45  | 0.00082     | 0.326                         | 4.1       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=4563995">https://ieeexplore.ieee.org/serve/opa2/punumber=4563995</a>   |
| R-EM            | IEEE Engineering Management Review                                               |                     | Hybrid Open Access | 0360-8581 | 1937-4178 | ESCI  | 4.4                          | N/A                   | Q2             | 0.66  | 0.00103     | N/A                           | 6.5       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=46">https://ieeexplore.ieee.org/serve/opa2/punumber=46</a>             |
| L-GRS           | IEEE Geoscience and Remote Sensing Letters                                       |                     | Hybrid Open Access | 1545-598X | 1558-0571 | SCIE  | 4.8                          | 4.8                   | Q2             | 0.95  | 0.04020     | 1.132                         | 11.1      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8859">https://ieeexplore.ieee.org/serve/opa2/punumber=8859</a>         |
| M-GRS           | IEEE Geoscience and Remote Sensing Magazine                                      |                     | Hybrid Open Access | 2473-2397 | 2168-6831 | ESCI  | 13.7                         | 18.7                  | Q1             | 3.11  | 0.00761     | 5.078                         | 27        | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=6245518">https://ieeexplore.ieee.org/serve/opa2/punumber=6245518</a>   |
| M-IA            | IEEE Industry Applications Magazine                                              |                     | Hybrid Open Access | 1077-2618 | 1558-0598 | SCIE  | 0.9                          | 0.8                   | Q4             | 0.14  | 0.00026     | 0.158                         | 2         | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=2943">https://ieeexplore.ieee.org/serve/opa2/punumber=2943</a>         |
| M-IM            | IEEE Instrumentation & Measurement Magazine                                      |                     | Hybrid Open Access | 1094-6969 | 1941-0123 | SCIE  | 1.7                          | 2.0                   | Q3             | 0.34  | 0.00093     | 0.332                         | 3.2       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=5289">https://ieeexplore.ieee.org/serve/opa2/punumber=5289</a>         |
| M-IS            | IEEE Intelligent Systems                                                         |                     | Hybrid Open Access | 1541-1672 | 1941-1294 | SCIE  | 4.5                          | 5.7                   | Q2             | 0.88  | 0.00275     | 1.339                         | 11.7      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=9670">https://ieeexplore.ieee.org/serve/opa2/punumber=9670</a>         |
| M-IC            | IEEE Internet Computing                                                          |                     | Hybrid Open Access | 1089-7801 | 1941-0131 | SCIE  | 3.3                          | 3.7                   | Q2             | 1.11  | 0.00120     | 0.704                         | 9.4       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=4236">https://ieeexplore.ieee.org/serve/opa2/punumber=4236</a>         |
| J-IOT           | IEEE Internet of Things Journal                                                  |                     | Hybrid Open Access | 2327-4662 | 2327-4662 | SCIE  | 8.7                          | 9.1                   | Q1             | 1.93  | 0.11441     | 1.699                         | 14.7      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=6488907">https://ieeexplore.ieee.org/serve/opa2/punumber=6488907</a>   |
| M-IOT           | IEEE Internet of Things Magazine                                                 |                     | Hybrid Open Access | 2576-3180 | 2576-3199 | ESCI  | 5.8                          | N/A                   | Q1             | 1.23  | 0.00308     | N/A                           | 9.7       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8548628">https://ieeexplore.ieee.org/serve/opa2/punumber=8548628</a>   |
| J-BHI           | IEEE Journal of Biomedical and Health Informatics                                |                     | Hybrid Open Access | 2168-2194 | 2168-2208 | SCIE  | 7.7                          | 8.0                   | Q1             | 1.77  | 0.03117     | 1.632                         | 14.3      |                                                                                                                                 |

| IEEE Title List | Publication Acronym                                                           | Publication Title | Open Access Type   | ISSN      | eISSN     | Index | Journal Impact Factor (JIF)* | 5-Year Impact Factor* | Quartile (JIF) | JCI  | Eigenfactor | Article Influence Score (AIS) | CiteScore | Journal URL                                                                                                                     |
|-----------------|-------------------------------------------------------------------------------|-------------------|--------------------|-----------|-----------|-------|------------------------------|-----------------------|----------------|------|-------------|-------------------------------|-----------|---------------------------------------------------------------------------------------------------------------------------------|
| L-MWT           | IEEE Microwave and Wireless Technology Letters                                |                   | Hybrid Open Access | 2771-957X | 2771-9588 | SCIE  | 3.4                          | 3.4                   | Q2             | 0.69 | 0.00481     | 0.752                         | 5.8       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=9944983">https://ieeexplore.ieee.org/serve/opa2/punumber=9944983</a>   |
| M-MULTI         | IEEE MultiMedia                                                               |                   | Hybrid Open Access | 1070-986X | 1941-0166 | SCIE  | 3.0                          | 2.9                   | Q3             | 0.72 | 0.00080     | 0.567                         | 6.6       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=93">https://ieeexplore.ieee.org/serve/opa2/punumber=93</a>             |
| M-NET           | IEEE Network                                                                  |                   | Hybrid Open Access | 0890-8044 | 1558-156X | SCIE  | 8.8                          | 8.6                   | Q1             | 1.76 | 0.01727     | 2.120                         | 14.8      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=65">https://ieeexplore.ieee.org/serve/opa2/punumber=65</a>             |
| L-NET           | IEEE Networking Letters                                                       |                   | Hybrid Open Access | N/A       | 2576-3156 | ESCI  | 3.3                          | N/A                   | Q2             | 0.51 | 0.00107     | N/A                           | 6.1       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8253410">https://ieeexplore.ieee.org/serve/opa2/punumber=8253410</a>   |
| M-PVC           | IEEE Pervasive Computing                                                      |                   | Hybrid Open Access | 1536-1268 | 1558-2590 | SCIE  | 1.9                          | 2.1                   | Q3             | 0.45 | 0.00037     | 0.302                         | 4.9       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=7756">https://ieeexplore.ieee.org/serve/opa2/punumber=7756</a>         |
| L-PT            | IEEE Photonics Technology Letters                                             |                   | Hybrid Open Access | 1041-1135 | 1941-0174 | SCIE  | 2.4                          | 2.4                   | Q3             | 0.58 | 0.00624     | 0.456                         | 4.8       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=58">https://ieeexplore.ieee.org/serve/opa2/punumber=58</a>             |
| M-RL            | IEEE Reliability Magazine                                                     |                   | Hybrid Open Access | N/A       | 2641-8819 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=10167708">https://ieeexplore.ieee.org/serve/opa2/punumber=10167708</a> |
| R-BME           | IEEE Reviews in Biomedical Engineering                                        |                   | Hybrid Open Access | 1937-3333 | 1941-1189 | SCIE  | 16.0                         | 16.7                  | Q1             | 2.52 | 0.00333     | 3.483                         | 36.2      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=4664312">https://ieeexplore.ieee.org/serve/opa2/punumber=4664312</a>   |
| IEEE-RITA       | IEEE Revista Iberoamericana de Tecnologías del Aprendizaje                    |                   | Hybrid Open Access | N/A       | 1932-8540 | ESCI  | 0.9                          | 1.4                   | Q4             | 0.20 | 0.00030     | 0.169                         | 3.1       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=5245520">https://ieeexplore.ieee.org/serve/opa2/punumber=5245520</a>   |
| M-RA            | IEEE Robotics & Automation Magazine                                           |                   | Hybrid Open Access | 1070-9932 | 1558-223X | SCIE  | 9.8                          | 8.4                   | Q1             | 1.12 | 0.00284     | 1.667                         | 9.3       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=100">https://ieeexplore.ieee.org/serve/opa2/punumber=100</a>           |
| L-RA            | IEEE Robotics and Automation Letters                                          |                   | Hybrid Open Access | 2377-3766 | 2377-3766 | SCIE  | 5.3                          | 6.3                   | Q2             | 1.17 | 0.06466     | 1.377                         | 10.5      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=7083369">https://ieeexplore.ieee.org/serve/opa2/punumber=7083369</a>   |
| RAP             | IEEE Robotics and Automation Practice <b>NEW for 2026</b>                     |                   | Hybrid Open Access | 2995-4304 | 2995-4304 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=10347232">https://ieeexplore.ieee.org/serve/opa2/punumber=10347232</a> |
| M-S&P           | IEEE Security & Privacy                                                       |                   | Hybrid Open Access | 1540-7993 | 1558-4046 | SCIE  | 2.9                          | 3.1                   | Q3             | 0.65 | 0.00111     | 0.568                         | 4.9       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8013">https://ieeexplore.ieee.org/serve/opa2/punumber=8013</a>         |
| J-SEN           | IEEE Sensors Journal                                                          |                   | Hybrid Open Access | 1530-437X | 1558-1748 | SCIE  | 4.5                          | 4.8                   | Q2             | 0.95 | 0.08007     | 0.762                         | 7.8       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=7361">https://ieeexplore.ieee.org/serve/opa2/punumber=7361</a>         |
| L-SEN           | IEEE Sensors Letters                                                          |                   | Hybrid Open Access | 2475-1472 | 2475-1472 | ESCI  | 2.4                          | 2.5                   | Q3             | 0.49 | 0.00441     | 0.426                         | 4.2       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=7782634">https://ieeexplore.ieee.org/serve/opa2/punumber=7782634</a>   |
| SEM             | IEEE Sensors Magazine <b>NEW for 2026</b>                                     |                   | Hybrid Open Access | 3068-8604 | 3068-8612 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=11059289">https://ieeexplore.ieee.org/serve/opa2/punumber=11059289</a> |
| L-SP            | IEEE Signal Processing Letters                                                |                   | Hybrid Open Access | 1070-9908 | 1558-2361 | SCIE  | 3.6                          | 3.9                   | Q2             | 0.79 | 0.01592     | 0.859                         | 6.3       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=97">https://ieeexplore.ieee.org/serve/opa2/punumber=97</a>             |
| M-SOFT          | IEEE Software                                                                 |                   | Hybrid Open Access | 0740-7459 | 1937-4194 | SCIE  | 4.0                          | 3.7                   | Q2             | 0.78 | 0.00144     | 0.558                         | 5.3       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=52">https://ieeexplore.ieee.org/serve/opa2/punumber=52</a>             |
| L-SSC           | IEEE Solid-State Circuits Letters                                             |                   | Hybrid Open Access | N/A       | 2573-9603 | ESCI  | 2.0                          | 2.3                   | Q3             | 0.45 | 0.00331     | 1.031                         | 3.9       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8011414">https://ieeexplore.ieee.org/serve/opa2/punumber=8011414</a>   |
| SPEC            | IEEE Spectrum                                                                 |                   | Hybrid Open Access | 0018-9235 | 1939-9340 | SCIE  | 2.2                          | 2.2                   | Q3             | 0.26 | 0.00108     | 0.559                         | 2.5       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=6">https://ieeexplore.ieee.org/serve/opa2/punumber=6</a>               |
| J-SYS           | IEEE Systems Journal                                                          |                   | Hybrid Open Access | 1932-8184 | 1937-9234 | SCIE  | 4.9                          | 4.4                   | Q2             | 0.95 | 0.01880     | 0.988                         | 14.1      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=4267003">https://ieeexplore.ieee.org/serve/opa2/punumber=4267003</a>   |
| T-AES           | IEEE Transactions on Aerospace and Electronic Systems                         |                   | Hybrid Open Access | 0018-9251 | 1557-9603 | SCIE  | 7.0                          | 7.0                   | Q1             | 1.57 | 0.02567     | 1.369                         | 9.4       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=7">https://ieeexplore.ieee.org/serve/opa2/punumber=7</a>               |
| T-AFFC          | IEEE Transactions on Affective Computing                                      |                   | Hybrid Open Access | 1949-3045 | 1949-3045 | SCIE  | 11.3                         | 11.6                  | Q1             | 1.99 | 0.01150     | 2.124                         | 21.5      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=5165369">https://ieeexplore.ieee.org/serve/opa2/punumber=5165369</a>   |
| T-AFE           | IEEE Transactions on Agrifood Electronics                                     |                   | Hybrid Open Access | N/A       | 2771-9529 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=9787268">https://ieeexplore.ieee.org/serve/opa2/punumber=9787268</a>   |
| T-AP            | IEEE Transactions on Antennas and Propagation                                 |                   | Hybrid Open Access | 0018-9286 | 1558-2221 | SCIE  | 5.9                          | 6.0                   | Q1             | 1.25 | 0.04364     | 1.121                         | 12.4      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=92">https://ieeexplore.ieee.org/serve/opa2/punumber=92</a>             |
| T-ASC           | IEEE Transactions on Applied Superconductivity                                |                   | Hybrid Open Access | 1051-8223 | 1558-2515 | SCIE  | 1.8                          | 1.8                   | Q3             | 0.37 | 0.00851     | 0.291                         | 3.3       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=77">https://ieeexplore.ieee.org/serve/opa2/punumber=77</a>             |
| T-AI            | IEEE Transactions on Artificial Intelligence                                  |                   | Hybrid Open Access | N/A       | 2691-4581 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | 9.1       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=9078688">https://ieeexplore.ieee.org/serve/opa2/punumber=9078688</a>   |
| T-ASLPRO        | IEEE Transactions on Audio, Speech, and Language Processing†                  |                   | Hybrid Open Access | N/A       | 2988-4173 | SCIE  | 5.2                          | 6.0                   | Q1             | 1.29 | 0.01018     | 0.911                         | 14.5      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=10723155">https://ieeexplore.ieee.org/serve/opa2/punumber=10723155</a> |
| T-AC            | IEEE Transactions on Automatic Control                                        |                   | Hybrid Open Access | 0018-9286 | 1558-2523 | SCIE  | 7.0                          | 7.2                   | Q1             | 1.57 | 0.06615     | 2.578                         | 13.6      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=9">https://ieeexplore.ieee.org/serve/opa2/punumber=9</a>               |
| T-ASE           | IEEE Transactions on Automation Science and Engineering                       |                   | Hybrid Open Access | 1545-5955 | 1558-3783 | SCIE  | 7.9                          | 8.2                   | Q1             | 1.39 | 0.03233     | 1.857                         | 10.3      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8856">https://ieeexplore.ieee.org/serve/opa2/punumber=8856</a>         |
| T-BD            | IEEE Transactions on Big Data                                                 |                   | Hybrid Open Access | 2332-7790 | 2332-7790 | SCIE  | 8.1                          | 7.0                   | Q1             | 1.85 | 0.00564     | 1.564                         | 10.6      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=6687317">https://ieeexplore.ieee.org/serve/opa2/punumber=6687317</a>   |
| T-BCAS          | IEEE Transactions on Biomedical Circuits and Systems                          |                   | Hybrid Open Access | 1932-4545 | 1940-9990 | SCIE  | 5.1                          | 5.5                   | Q2             | 0.97 | 0.00467     | 1.554                         | 10.6      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=4156126">https://ieeexplore.ieee.org/serve/opa2/punumber=4156126</a>   |
| T-BME           | IEEE Transactions on Biomedical Engineering                                   |                   | Hybrid Open Access | 0018-9294 | 1558-2531 | SCIE  | 4.4                          | 4.9                   | Q2             | 0.95 | 0.01481     | 1.135                         | 10        | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=10">https://ieeexplore.ieee.org/serve/opa2/punumber=10</a>             |
| T-BIOM          | IEEE Transactions on Biometrics, Behavior, and Identity Science               |                   | Hybrid Open Access | N/A       | 2637-6407 | ESCI  | 4.4                          | N/A                   | Q2             | 0.85 | 0.00191     | N/A                           | 9.6       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8423754">https://ieeexplore.ieee.org/serve/opa2/punumber=8423754</a>   |
| T-BC            | IEEE Transactions on Broadcasting                                             |                   | Hybrid Open Access | 0018-9316 | 1557-9611 | SCIE  | 5.9                          | 4.6                   | Q1             | 1.06 | 0.00306     | 0.916                         | 9.4       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=11">https://ieeexplore.ieee.org/serve/opa2/punumber=11</a>             |
| T-CASAI         | IEEE Transactions on Circuits and Systems for Artificial Intelligence         |                   | Hybrid Open Access | N/A       | 2996-6647 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | 1.2       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=10495160">https://ieeexplore.ieee.org/serve/opa2/punumber=10495160</a> |
| T-CSVT          | IEEE Transactions on Circuits and Systems for Video Technology                |                   | Hybrid Open Access | 1051-8215 | 1558-2205 | SCIE  | 10.8                         | 10.3                  | Q1             | 2.30 | 0.05417     | 2.371                         | 18.1      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=76">https://ieeexplore.ieee.org/serve/opa2/punumber=76</a>             |
| T-CAS1          | IEEE Transactions on Circuits and Systems-I: Regular Papers                   |                   | Hybrid Open Access | 1549-8328 | 1558-0806 | SCIE  | 5.6                          | 5.7                   | Q1             | 1.14 | 0.03111     | 1.593                         | 10.1      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8919">https://ieeexplore.ieee.org/serve/opa2/punumber=8919</a>         |
| T-CAS2          | IEEE Transactions on Circuits and Systems-II: Express Briefs                  |                   | Hybrid Open Access | 1549-7747 | 1558-3791 | SCIE  | 4.6                          | 4.5                   | Q2             | 1.10 | 0.03665     | 1.103                         | 11.1      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8920">https://ieeexplore.ieee.org/serve/opa2/punumber=8920</a>         |
| T-CC            | IEEE Transactions on Cloud Computing                                          |                   | Hybrid Open Access | 2168-7151 | 2168-7151 | SCIE  | 5.3                          | 4.8                   | Q1             | 1.40 | 0.00609     | 1.003                         | 11.1      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=5245519">https://ieeexplore.ieee.org/serve/opa2/punumber=5245519</a>   |
| T-CDS           | IEEE Transactions on Cognitive and Developmental Systems                      |                   | Hybrid Open Access | 2379-8920 | 2379-8920 | SCIE  | 4.7                          | 5.1                   | Q2             | 1.11 | 0.00563     | 1.114                         | 11.1      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=1214989">https://ieeexplore.ieee.org/serve/opa2/punumber=1214989</a>   |
| T-CCN           | IEEE Transactions on Cognitive Communications and Networking                  |                   | Hybrid Open Access | 2332-7731 | 2332-7731 | SCIE  | 8.0                          | 8.4                   | Q1             | 1.61 | 0.01002     | 2.066                         | 12.4      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=6687302">https://ieeexplore.ieee.org/serve/opa2/punumber=6687302</a>   |
| T-COMM          | IEEE Transactions on Communications                                           |                   | Hybrid Open Access | 0090-6778 | 1558-0857 | SCIE  | 8.4                          | 8.2                   | Q1             | 1.74 | 0.04781     | 2.270                         | 13.4      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=26">https://ieeexplore.ieee.org/serve/opa2/punumber=26</a>             |
| T-CPMT          | IEEE Transactions on Components, Packaging and Manufacturing Technology       |                   | Hybrid Open Access | 2156-3950 | 2156-3985 | SCIE  | 3.3                          | 3.4                   | Q2             | 0.60 | 0.00537     | 0.612                         | 5.9       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=5503870">https://ieeexplore.ieee.org/serve/opa2/punumber=5503870</a>   |
| T-CBIO          | IEEE Transactions on Computational Biology and Bioinformatics‡                |                   | Hybrid Open Access | N/A       | 2998-4165 | SCIE  | 4.1                          | 3.5                   | Q2             | 1.37 | 0.00819     | 0.773                         | 9.7       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=10723156">https://ieeexplore.ieee.org/serve/opa2/punumber=10723156</a> |
| T-CI            | IEEE Transactions on Computational Imaging                                    |                   | Hybrid Open Access | 2573-0436 | 2333-9403 | SCIE  | 4.7                          | 5.4                   | Q2             | 0.89 | 0.00670     | 1.570                         | 7.7       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=6745852">https://ieeexplore.ieee.org/serve/opa2/punumber=6745852</a>   |
| T-CSS           | IEEE Transactions on Computational Social Systems                             |                   | Hybrid Open Access | 2329-924X | 2329-924X | SCIE  | 4.6                          | 4.9                   | Q2             | 0.97 | 0.01125     | 0.971                         | 10.8      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=6570650">https://ieeexplore.ieee.org/serve/opa2/punumber=6570650</a>   |
| T-CAD           | IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems |                   | Hybrid Open Access | 0278-0070 | 1937-4151 | SCIE  | 3.6                          | 3.4                   | Q2             | 0.68 | 0.00882     | 0.611                         | 7.2       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=43">https://ieeexplore.ieee.org/serve/opa2/punumber=43</a>             |
| T-C             | IEEE Transactions on Computers                                                |                   | Hybrid Open Access | 0018-9340 | 1557-9956 | SCIE  | 4.9                          | 4.5                   | Q2             | 1.06 | 0.00757     | 0.951                         | 9.3       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=12">https://ieeexplore.ieee.org/serve/opa2/punumber=12</a>             |
| T-CE            | IEEE Transactions on Consumer Electronics                                     |                   | Hybrid Open Access | 0098-3063 | 1558-4127 | SCIE  | 9.9                          | 9.4                   | Q1             | 1.94 | 0.00770     | 1.092                         | 8.1       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=30">https://ieeexplore.ieee.org/serve/opa2/punumber=30</a>             |
| T-CNS           | IEEE Transactions on Control of Network Systems                               |                   | Hybrid Open Access | 2325-5870 | 2372-2533 | SCIE  | 5.3                          | 5.0                   | Q1             | 1.10 | 0.01224     | 1.843                         | 8.1       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=6509490">https://ieeexplore.ieee.org/serve/opa2/punumber=6509490</a>   |
| T-CST           | IEEE Transactions on Control Systems Technology                               |                   | Hybrid Open Access | 1063-6536 | 1558-0865 | SCIE  | 4.4                          | 5.2                   | Q2             | 0.86 | 0.01340     | 1.432                         | 11.1      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=87">https://ieeexplore.ieee.org/serve/opa2/punumber=87</a>             |
| T-CYB           | IEEE Transactions on Cybernetics                                              |                   | Hybrid Open Access | 2168-2267 | 2168-2275 | SCIE  | 11.3                         | 11.2                  | Q1             | 1.87 | 0.07905     | 3.020                         | 28.2      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=6221036">https://ieeexplore.ieee.org/serve/opa2/punumber=6221036</a>   |
| T-DSC           | IEEE Transactions on Dependable and Secure Computing                          |                   | Hybrid Open Access | 1545-5971 | 1941-0018 | SCIE  | 6.8                          | 7.2                   | Q1             | 1.78 | 0.01503     | 1.486                         | 13        | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=8858">https://ieeexplore.ieee.org/serve/opa2/punumber=8858</a>         |
| T-DMR           | IEEE Transactions on Device and Materials Reliability                         |                   | Hybrid Open Access | 1530-4388 | 1558-2574 | SCIE  | 2.7                          | 2.6                   | Q3             | 0.53 | 0.00143     | 0.503                         | 4.6       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=7298">https://ieeexplore.ieee.org/serve/opa2/punumber=7298</a>         |
| T-DEI           | IEEE Transactions on Dielectrics and Electrical Insulation                    |                   | Hybrid Open Access | 1070-9878 | 1558-4135 | SCIE  | 3.3                          | 3.3                   | Q2             | 0.67 | 0.00594     | 0.500                         | 7         | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=94">https://ieeexplore.ieee.org/serve/opa2/punumber=94</a>             |
| T-E             | IEEE Transactions on Education                                                |                   | Hybrid Open Access | 0018-9359 | 1557-9638 | SCIE  | 2.5                          | 2.9                   | Q2             | 0.80 | 0.00115     | 0.448                         | 8.9       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=13">https://ieeexplore.ieee.org/serve/opa2/punumber=13</a>             |
| T-EMC           | IEEE Transactions on Electromagnetic Compatibility                            |                   | Hybrid Open Access | 0018-9375 | 1558-187X | SCIE  | 2.6                          | 2.4                   | Q3             | 0.51 | 0.00450     | 0.466                         | 5.7       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=15">https://ieeexplore.ieee.org/serve/opa2/punumber=15</a>             |
| T-ED            | IEEE Transactions on Electron Devices                                         |                   | Hybrid Open Access | 0018-9283 | 1557-9646 | SCIE  | 3.6                          | 3.6                   | Q2             | 0.68 | 0.02585     | 0.640                         | 6.5       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=16">https://ieeexplore.ieee.org/serve/opa2/punumber=16</a>             |
| T-ETCI          | IEEE Transactions on Emerging Topics in Computational Intelligence            |                   | Hybrid Open Access | 2471-285X | 2471-285X | SCIE  | 6.0                          | 6.4                   | Q2             | 0.95 | 0.01035     | 1.466                         | 11.5      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=7433297">https://ieeexplore.ieee.org/serve/opa2/punumber=7433297</a>   |
| T-ETC           | IEEE Transactions on Emerging Topics in Computing                             |                   | Hybrid Open Access | 2168-6750 | 2168-6750 | SCIE  | 4.8                          | 4.7                   | Q2             | 1.28 | 0.00448     | 1.021                         | 11.8      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=6245516">https://ieeexplore.ieee.org/serve/opa2/punumber=6245516</a>   |
| T-EEC           | IEEE Transactions on Energy Conversion                                        |                   | Hybrid Open Access | 0885-8969 | 1558-0059 | SCIE  | 6.1                          | 6.4                   | Q2             | 1.09 | 0.01561     | 1.570                         | 13.3      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=60">https://ieeexplore.ieee.org/serve/opa2/punumber=60</a>             |
| T-EMPR          | IEEE Transactions on Energy Markets, Policy and Regulation                    |                   | Hybrid Open Access | N/A       | 2771-9626 | ESCI  | 3.7                          | 3.7                   | Q3             | 0.53 | 0.00065     | 0.973                         | 4.8       | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=9794458">https://ieeexplore.ieee.org/serve/opa2/punumber=9794458</a>   |
| T-EM            | IEEE Transactions on Engineering Management                                   |                   | Hybrid Open Access | 1001-9391 | 1558-0040 | SSCI  | 6.2                          | 6.2                   | Q1             | 1.13 | 0.01405     | 0.977                         | 13        | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=17">https://ieeexplore.ieee.org/serve/opa2/punumber=17</a>             |
| T-EVC           | IEEE Transactions on Evolutionary Computation                                 |                   | Hybrid Open Access | 1089-778X | 1941-0026 | SCIE  | 15.9                         | 16.0                  | Q1             | 2.96 | 0.01249     | 3.029                         | 22.1      | <a href="https://ieeexplore.ieee.org/serve/opa2/punumber=4235">https://ieeexplore.ieee.org/serve/opa2/punumber=4235</a>         |
| T-FR            | IEEE Transactions on Field Robotics                                           |                   | Hybrid Open Access | 2997      |           |       |                              |                       |                |      |             |                               |           |                                                                                                                                 |

