

| IEEE Title List     |                                                                                                    |                    |           |           |       |                              |                       |                |      |             |                               |           |
|---------------------|----------------------------------------------------------------------------------------------------|--------------------|-----------|-----------|-------|------------------------------|-----------------------|----------------|------|-------------|-------------------------------|-----------|
| Publication Acronym | Publication Title                                                                                  | Open Access Type   | ISSN      | eISSN     | Index | Journal Impact Factor (JIF)* | 5-Year Impact Factor* | Quartile (JIF) | JCI  | Eigenfactor | Article Influence Score (AIS) | CiteScore |
| ACCESS              | IEEE Access                                                                                        | Full Open Access   | 2169-3536 | 2169-3536 | SCIE  | 3.4                          | 3.7                   | Q2             | 0.87 | 0.35701     | 0.698                         | 9.8       |
| IEEEDATA            | IEEE Data Descriptions <b>NEW for 2024!</b>                                                        | Full Open Access   | N/A       | 2995-4274 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| J-ISPIN             | IEEE Journal of Indoor and Seamless Positioning and Navigation                                     | Full Open Access   | N/A       | 2832-7322 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| JMW                 | IEEE Journal of Microwaves                                                                         | Full Open Access   | N/A       | 2692-8388 | ESCI  | 6.9                          | 6.9                   | Q1             | 1.64 | 0.00208     | 1.893                         | 10.7      |
| JSAS                | IEEE Journal of Selected Areas in Sensors <b>NEW for 2024!</b>                                     | Full Open Access   | N/A       | 2836-2071 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| J-STARS             | IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing                   | Full Open Access   | 1939-1404 | 2151-1535 | SCIE  | 4.7                          | 5.0                   | Q1             | 1.13 | 0.02888     | 1.142                         | 9.3       |
| JSTEAP              | IEEE Journal of Selected Topics in Electromagnetics, Antennas and Propagation <b>NEW for 2025!</b> | Full Open Access   | TBA       | TBA       | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| JEDS                | IEEE Journal of the Electron Devices Society                                                       | Full Open Access   | 2168-6734 | 2168-6734 | SCIE  | 2.0                          | 2.3                   | Q3             | 0.55 | 0.00387     | 0.526                         | 5.2       |
| JTEHM               | IEEE Journal of Translational Engineering in Health and Medicine                                   | Full Open Access   | 2168-2372 | 2168-2372 | SCIE  | 3.7                          | 3.7                   | Q2             | 0.78 | 0.00205     | 0.881                         | 7.4       |
| JXCDC               | IEEE Journal on Exploratory Solid-State Computational Devices and Circuits                         | Full Open Access   | 2329-9231 | 2329-9231 | ESCI  | 2.0                          | 2.3                   | Q3             | 0.54 | 0.00063     | 0.707                         | 5         |
| OAJPE               | IEEE Open Access Journal of Power and Energy                                                       | Full Open Access   | N/A       | 2687-7910 | ESCI  | 3.3                          | 4.0                   | Q3             | 0.57 | 0.00145     | 1.288                         | 7.8       |
| OJAP                | IEEE Open Journal of Antennas and Propagation                                                      | Full Open Access   | N/A       | 2637-6431 | ESCI  | 3.5                          | 3.6                   | Q2             | 0.80 | 0.00221     | 1.037                         | 6.5       |
| OJ-CAS              | IEEE Open Journal of Circuits and Systems                                                          | Full Open Access   | N/A       | 2644-1225 | ESCI  | 2.4                          | 2.5                   | Q2             | 0.44 | 0.00063     | 0.784                         | N/A       |
| OJ-CSS              | IEEE Open Journal of Control Systems                                                               | Full Open Access   | N/A       | 2694-085X | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| OJEMB               | IEEE Open Journal of Engineering in Medicine and Biology                                           | Full Open Access   | N/A       | 2644-1276 | ESCI  | 2.7                          | 3.6                   | Q3             | 0.81 | 0.00059     | 0.768                         | 9.5       |
| OJIA                | IEEE Open Journal of Industry Applications                                                         | Full Open Access   | N/A       | 2644-1241 | ESCI  | 7.9                          | 8.7                   | Q1             | 1.28 | 0.00129     | 2.993                         | 13.5      |
| OJIM                | IEEE Open Journal of Instrumentation and Measurement                                               | Full Open Access   | N/A       | 2768-7236 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| OJITS               | IEEE Open Journal of Intelligent Transportation Systems                                            | Full Open Access   | N/A       | 2687-7813 | ESCI  | 4.6                          | 4.3                   | Q2             | 0.84 | 0.00065     | 0.670                         | 5.4       |
| OJNANO              | IEEE Open Journal of Nanotechnology                                                                | Full Open Access   | N/A       | 2644-1292 | ESCI  | 1.8                          | 2.0                   | Q3             | 0.33 | 0.00021     | 0.397                         | 3.9       |
| OJPEL               | IEEE Open Journal of Power Electronics                                                             | Full Open Access   | N/A       | 2644-1314 | ESCI  | 5.0                          | 4.8                   | Q1             | 0.81 | 0.00175     | 1.589                         | 8.6       |
| OJSP                | IEEE Open Journal of Signal Processing                                                             | Full Open Access   | N/A       | 2644-1322 | ESCI  | 2.9                          | 3.3                   | Q2             | 0.59 | 0.00094     | 1.423                         | 5.3       |
| OJSE                | IEEE Open Journal of Systems Engineering                                                           | Full Open Access   | N/A       | 2771-9987 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| OJCOMS              | IEEE Open Journal of the Communications Society                                                    | Full Open Access   | N/A       | 2644-125X | ESCI  | 6.3                          | 6.9                   | Q1             | 1.51 | 0.00686     | 2.046                         | 13.7      |
| OJCS                | IEEE Open Journal of the Computer Society                                                          | Full Open Access   | N/A       | 2644-1268 | ESCI  | 5.7                          | 6.3                   | Q1             | 1.31 | 0.00090     | 1.439                         | 12.6      |
| OJIES               | IEEE Open Journal of the Industrial Electronics Society                                            | Full Open Access   | N/A       | 2644-1284 | ESCI  | 5.2                          | 5.3                   | Q1             | 1.16 | 0.00136     | 1.365                         | 10.8      |
| OJSSCS              | IEEE Open Journal of the Solid-State Circuits Society                                              | Full Open Access   | N/A       | 2644-1349 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| OJUFFC              | IEEE Open Journal of Ultrasonics, Ferroelectrics, and Frequency Control                            | Full Open Access   | N/A       | 2694-0884 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| OJVT                | IEEE Open Journal of Vehicular Technology                                                          | Full Open Access   | N/A       | 2644-1330 | ESCI  | 5.3                          | 6.1                   | Q1             | 1.12 | 0.00105     | 1.653                         | 9.6       |
| OJID                | IEEE Open Journal on Immersive Displays <b>NEW for 2024!</b>                                       | Full Open Access   | N/A       | 2836-211X | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| JPHOT               | IEEE Photonics Journal                                                                             | Full Open Access   | 1943-0647 | 1943-0655 | SCIE  | 2.1                          | 2.1                   | Q3             | 0.53 | 0.01022     | 0.443                         | 4.5       |
| JSR                 | IEEE Sensors Reviews <b>NEW for 2024!</b>                                                          | Full Open Access   | N/A       | 2995-7478 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| LSMC                | IEEE Systems, Man, and Cybernetics Letters <b>NEW for 2024!</b>                                    | Full Open Access   | N/A       | 2836-628X | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| T-MLCN              | IEEE Transactions on Machine Learning in Communications and Networking                             | Full Open Access   | N/A       | 2831-316X | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| T-NSRE              | IEEE Transactions on Neural Systems and Rehabilitation Engineering                                 | Full Open Access   | 1534-4320 | 1558-0210 | SCIE  | 4.8                          | 5.4                   | Q2             | 1.75 | 0.01269     | 1.111                         | 8.6       |
| TP                  | IEEE Transactions on Privacy <b>NEW for 2024!</b>                                                  | Full Open Access   | N/A       | 2836-208X | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| TQE                 | IEEE Transactions on Quantum Engineering                                                           | Full Open Access   | N/A       | 2689-1808 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | 8         |
| M-C                 | Computer                                                                                           | Hybrid Open Access | 0018-9162 | 1558-0814 | SCIE  | 2.0                          | 2.6                   | Q3             | 0.50 | 0.00322     | 0.662                         | 3.9       |
| CISE                | Computing in Science & Engineering                                                                 | Hybrid Open Access | 1521-9615 | 1558-366X | SCIE  | 1.8                          | 1.8                   | Q3             | 0.34 | 0.00111     | 0.495                         | 4.2       |
| M-AHC               | IEEE Annals of the History of Computing                                                            | Hybrid Open Access | 1058-6180 | 1934-1547 | SCIE  | 0.5                          | 0.6                   | Q4             | 0.34 | 0.00024     | 0.286                         | 0.8       |
| M-AP                | IEEE Antennas and Propagation Magazine                                                             | Hybrid Open Access | 1045-9243 | 1558-4143 | SCIE  | 4.2                          | 3.3                   | Q2             | 0.90 | 0.00239     | 0.998                         | 7         |
| L-AWP               | IEEE Antennas and Wireless Propagation Letters                                                     | Hybrid Open Access | 1536-1225 | 1548-5757 | SCIE  | 3.7                          | 4.1                   | Q2             | 0.96 | 0.02561     | 1.169                         | 8         |
| M-BITS              | IEEE BITS the Information Theory Magazine                                                          | Hybrid Open Access | 2692-4080 | 2692-4110 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| J-CJCE              | IEEE Canadian Journal of Electrical and Computer Engineering                                       | Hybrid Open Access | N/A       | 2694-1783 | SCIE  | 2.1                          | 2.1                   | Q3             | 0.41 | 0.00026     | 0.359                         | 3.7       |
| L-COMM              | IEEE Communications Letters                                                                        | Hybrid Open Access | 1089-7798 | 1558-2558 | SCIE  | 3.7                          | 3.5                   | Q2             | 0.98 | 0.02875     | 1.054                         | 8.1       |
| M-COMM              | IEEE Communications Magazine                                                                       | Hybrid Open Access | 0163-6804 | 1558-1896 | SCIE  | 8.3                          | 9.4                   | Q1             | 2.43 | 0.02308     | 2.823                         | 19.8      |
| M-COMSTD            | IEEE Communications Standards Magazine                                                             | Hybrid Open Access | 2471-2825 | 2471-2833 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | 10.8      |
| COMST               | IEEE Communications Surveys & Tutorials                                                            | Hybrid Open Access | N/A       | 1553-877X | SCIE  | 34.4                         | 34.0                  | Q1             | 9.38 | 0.03668     | 9.103                         | 80.2      |
| L-CA                | IEEE Computer Architecture Letters                                                                 | Hybrid Open Access | 1556-6056 | 1556-6064 | SCIE  | 1.4                          | 1.7                   | Q4             | 0.41 | 0.00065     | 0.346                         | 4.6       |
| M-CG&A              | IEEE Computer Graphics and Applications                                                            | Hybrid Open Access | 0272-1716 | 1558-1756 | SCIE  | 1.7                          | 2.0                   | Q3             | 0.40 | 0.00111     | 0.481                         | 3.2       |
| L-CSS               | IEEE Control Systems Letters                                                                       | Hybrid Open Access | N/A       | 2475-1456 | ESCI  | 2.4                          | 2.4                   | Q2             | 0.6  | 0.0128      | 1.017                         | 4.4       |
| M-EI                | IEEE Electrical Insulation Magazine                                                                | Hybrid Open Access | 0883-7554 | 1558-4402 | SCIE  | 2.6                          | 3.1                   | Q2             | 0.57 | 0.00086     | 0.952                         | 4.6       |
| L-ED                | IEEE Electron Device Letters                                                                       | Hybrid Open Access | 0741-3106 | 1558-0563 | SCIE  | 4.1                          | 4.2                   | Q2             | 1.13 | 0.01710     | 0.906                         | 8.2       |
| ED-M                | IEEE Electron Devices Magazine                                                                     | Hybrid Open Access | 2832-7683 | 2832-7691 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| EDR                 | IEEE Electron Devices Reviews <b>NEW for 2024!</b>                                                 | Hybrid Open Access | N/A       | 2995-424X | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| L-ES                | IEEE Embedded Systems Letters                                                                      | Hybrid Open Access | 1943-0663 | 1943-0671 | SCIE  | 1.7                          | 1.6                   | Q3             | 0.50 | 0.00055     | 0.339                         | 3.3       |
| ESM                 | IEEE Energy Sustainability Magazine <b>NEW for 2025!</b>                                           | Hybrid Open Access | 2998-4009 | 2998-3991 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| R-EM                | IEEE Engineering Management Review                                                                 | Hybrid Open Access | 0360-8581 | 1937-4178 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | 7.4       |
| L-GRS               | IEEE Geoscience and Remote Sensing Letters                                                         | Hybrid Open Access | 1545-598X | 1558-0571 | SCIE  | 4.0                          | 4.4                   | Q2             | 1.08 | 0.02996     | 1.026                         | 7.6       |
| M-IA                | IEEE Industry Applications Magazine                                                                | Hybrid Open Access | 1077-2618 | 1558-0598 | SCIE  | 0.7                          | 0.9                   | Q4             | 0.13 | 0.00041     | 0.234                         | 1.6       |
| M-IM                | IEEE Instrumentation & Measurement Magazine                                                        | Hybrid Open Access | 1094-6969 | 1941-0123 | SCIE  | 1.6                          | 1.6                   | Q3             | 0.47 | 0.00079     | 0.285                         | 4.2       |
| M-IS                | IEEE Intelligent Systems                                                                           | Hybrid Open Access | 1541-1672 | 1941-1294 | SCIE  | 5.6                          | 5.6                   | Q1             | 1.33 | 0.00297     | 1.435                         | 13.8      |
| M-IC                | IEEE Internet Computing                                                                            | Hybrid Open Access | 1089-7801 | 1941-0131 | SCIE  | 3.7                          | 3.1                   | Q1             | 1.19 | 0.00139     | 0.754                         | 7.6       |
| J-IOT               | IEEE Internet of Things Journal                                                                    | Hybrid Open Access | 2327-4662 | 2327-4662 | SCIE  | 8.2                          | 9.0                   | Q1             | 2.42 | 0.09103     | 1.982                         | 17.6      |
| M-IOT               | IEEE Internet of Things Magazine                                                                   | Hybrid Open Access | 2576-3180 | 2576-3199 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| J-BHI               | IEEE Journal of Biomedical and Health Informatics                                                  | Hybrid Open Access | 2168-2194 | 2168-2208 | SCIE  | 6.7                          | 7.1                   | Q1             | 1.96 | 0.02199     | 1.504                         | 13.6      |
| J-ERM               | IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology                        | Hybrid Open Access | 2469-7257 | 2469-7249 | ESCI  | 3.0                          | 2.8                   | Q2             | 0.82 | 0.00134     | 0.666                         | 6.4       |

| IEEE Title List     |                                                                                            |                    |           |           |       |                              |                       |                |      |             |                               |           |
|---------------------|--------------------------------------------------------------------------------------------|--------------------|-----------|-----------|-------|------------------------------|-----------------------|----------------|------|-------------|-------------------------------|-----------|
| Publication Acronym | Publication Title                                                                          | Open Access Type   | ISSN      | eISSN     | Index | Journal Impact Factor (JIF)* | 5-Year Impact Factor* | Quartile (JIF) | JCI  | Eigenfactor | Article Influence Score (AIS) | CiteScore |
| J-ESTIE             | IEEE Journal of Emerging and Selected Topics in Industrial Electronics                     | Hybrid Open Access | 2687-9735 | 2687-9743 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| J-ESTPE             | IEEE Journal of Emerging and Selected Topics in Power Electronics                          | Hybrid Open Access | 2168-6777 | 2168-6785 | SCIE  | 4.6                          | 5.3                   | Q1             | 1.41 | 0.02927     | 1.765                         | 12.5      |
| J-OE                | IEEE Journal of Oceanic Engineering                                                        | Hybrid Open Access | 0364-9059 | 1558-1691 | SCIE  | 3.8                          | 4.2                   | Q1             | 1.09 | 0.00420     | 0.964                         | 9.6       |
| J-PHOTOV            | IEEE Journal of Photovoltaics                                                              | Hybrid Open Access | 2156-3381 | 2156-3403 | SCIE  | 2.5                          | 3.1                   | Q3             | 0.54 | 0.00638     | 0.676                         | 7         |
| J-QE                | IEEE Journal of Quantum Electronics                                                        | Hybrid Open Access | 0018-9197 | 1558-1713 | SCIE  | 2.2                          | 2.1                   | Q3             | 0.62 | 0.00168     | 0.469                         | 4.7       |
| J-RFID              | IEEE Journal of Radio Frequency Identification                                             | Hybrid Open Access | N/A       | 2469-7281 | ESCI  | 2.3                          | 2.6                   | Q2             | 0.68 | 0.00114     | 0.486                         | 5.7       |
| J-STQE              | IEEE Journal of Selected Topics in Quantum Electronics                                     | Hybrid Open Access | 1077-260X | 1558-4542 | SCIE  | 4.3                          | 4.4                   | Q1             | 1.37 | 0.00892     | 1.121                         | 10.6      |
| J-STSP              | IEEE Journal of Selected Topics in Signal Processing                                       | Hybrid Open Access | 1932-4553 | 1941-0484 | SCIE  | 8.7                          | 8.4                   | Q1             | 2.02 | 0.01381     | 3.143                         | 19        |
| J-SSC               | IEEE Journal of Solid-State Circuits                                                       | Hybrid Open Access | 0018-9200 | 1558-173X | SCIE  | 4.6                          | 5.6                   | Q1             | 1.22 | 0.01830     | 1.397                         | 11        |
| JETCAS              | IEEE Journal on Emerging and Selected Topics in Circuits and Systems                       | Hybrid Open Access | 2156-3357 | 2156-3365 | SCIE  | 3.7                          | 4.6                   | Q2             | 1.09 | 0.00377     | 1.389                         | 8.5       |
| J-FLEX              | IEEE Journal on Flexible Electronics                                                       | Hybrid Open Access | N/A       | 2768-167X | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| J-MASS              | IEEE Journal on Miniaturization for Air and Space Systems                                  | Hybrid Open Access | N/A       | 2576-3164 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | 4.4       |
| J-MMCT              | IEEE Journal on Multiscale and Multiphysics Computational Techniques                       | Hybrid Open Access | N/A       | 2379-8793 | ESCI  | 1.8                          | 1.8                   | Q3             | 0.44 | 0.00074     | 0.560                         | 4.3       |
| J-SAC               | IEEE Journal on Selected Areas in Communications                                           | Hybrid Open Access | 0733-8716 | 1558-0008 | SCIE  | 13.8                         | 13.1                  | Q1             | 3.67 | 0.03999     | 4.445                         | 30        |
| J-SAIT              | IEEE Journal on Selected Areas in Information Theory                                       | Hybrid Open Access | N/A       | 2641-8770 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | 8.2       |
| L-EMCPA             | IEEE Letters on Electromagnetic Compatibility Practice and Applications                    | Hybrid Open Access | N/A       | 2637-6423 | ESCI  | 0.9                          | 0.9                   | Q4             | 0.25 | 0.00019     | 0.244                         | N/A       |
| L-MAG               | IEEE Magnetics Letters                                                                     | Hybrid Open Access | 1949-307X | 1949-3088 | SCIE  | 1.1                          | 1.3                   | Q4             | 0.27 | 0.00095     | 0.321                         | 2.4       |
| M-MICRO             | IEEE Micro                                                                                 | Hybrid Open Access | 0272-1732 | 1937-4143 | SCIE  | 2.8                          | 4.7                   | Q2             | 0.92 | 0.00320     | 1.282                         | 7.5       |
| L-MWT               | IEEE Microwave and Wireless Technology Letters**                                           | Hybrid Open Access | 1531-1309 | 1558-1764 | SCIE  | 2.9                          | 3.0                   | Q2             | 0.73 | 0.01066     | 0.784                         | 6         |
| M-MULTI             | IEEE MultiMedia                                                                            | Hybrid Open Access | 1070-986X | 1941-0166 | SCIE  | 2.3                          | 3.0                   | Q2             | 0.74 | 0.00112     | 0.808                         | 6.4       |
| M-NET               | IEEE Network                                                                               | Hybrid Open Access | 0890-8044 | 1558-156X | SCIE  | 6.8                          | 8.5                   | Q1             | 1.96 | 0.01843     | 2.340                         | 20.4      |
| L-NET               | IEEE Networking Letters                                                                    | Hybrid Open Access | N/A       | 2576-3156 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| M-PVC               | IEEE Pervasive Computing                                                                   | Hybrid Open Access | 1536-1268 | 1558-2590 | SCIE  | 1.6                          | 2.8                   | Q3             | 0.45 | 0.00073     | 0.535                         | 4.1       |
| L-PT                | IEEE Photonics Technology Letters                                                          | Hybrid Open Access | 1041-1135 | 1941-0174 | SCIE  | 2.3                          | 2.2                   | Q2             | 0.64 | 0.00824     | 0.475                         | 5         |
| M-RL                | IEEE Reliability Magazine <b>NEW for 2024!</b>                                             | Hybrid Open Access | N/A       | 2641-8819 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| R-BME               | IEEE Reviews in Biomedical Engineering                                                     | Hybrid Open Access | 1937-3333 | 1941-1189 | SCIE  | 17.2                         | N/A                   | Q1             | 2.47 | 0.00228     | N/A                           | 31.7      |
| IEEE-RITA           | IEEE Revista Iberoamericana de Tecnologías del Aprendizaje                                 | Hybrid Open Access | N/A       | 1932-8540 | ESCI  | 1.0                          | 1.2                   | Q4             | 0.31 | 0.00032     | 0.217                         | 4.3       |
| M-RA                | IEEE Robotics & Automation Magazine                                                        | Hybrid Open Access | 1070-9932 | 1558-223X | SCIE  | 5.4                          | 6.8                   | Q1             | 1.00 | 0.00256     | 1.488                         | 8.8       |
| L-RA                | IEEE Robotics and Automation Letters                                                       | Hybrid Open Access | 2377-3766 | 2377-3766 | SCIE  | 4.6                          | 5.5                   | Q2             | 1.23 | 0.04856     | 1.258                         | 9.6       |
| RAP                 | IEEE Robotics and Automation Practice <b>NEW for 2024!</b>                                 | Hybrid Open Access | N/A       | 2995-4304 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| M-S&P               | IEEE Security & Privacy                                                                    | Hybrid Open Access | 1540-7993 | 1558-4046 | SCIE  | 2.9                          | 3.5                   | Q2             | 0.57 | 0.00158     | 0.778                         | 4.3       |
| J-SEN               | IEEE Sensors Journal                                                                       | Hybrid Open Access | 1530-437X | 1558-1748 | SCIE  | 4.3                          | 4.2                   | Q1             | 1.02 | 0.05644     | 0.730                         | 7.7       |
| L-SEN               | IEEE Sensors Letters                                                                       | Hybrid Open Access | 2475-1472 | 2475-1472 | ESCI  | 2.2                          | 2.2                   | Q3             | 0.46 | 0.00266     | 0.432                         | 3.5       |
| L-SP                | IEEE Signal Processing Letters                                                             | Hybrid Open Access | 1070-9908 | 1558-2361 | SCIE  | 3.2                          | 3.4                   | Q2             | 0.86 | 0.01892     | 1.049                         | 7.4       |
| M-SOFT              | IEEE Software                                                                              | Hybrid Open Access | 0740-7459 | 1937-4194 | SCIE  | 3.3                          | 3.8                   | Q2             | 0.81 | 0.00216     | 0.810                         | 5.5       |
| L-SSC               | IEEE Solid-State Circuits Letters                                                          | Hybrid Open Access | N/A       | 2573-9603 | ESCI  | 2.2                          | 2.0                   | Q3             | 0.41 | 0.00265     | 0.816                         | 4.3       |
| SPEC                | IEEE Spectrum                                                                              | Hybrid Open Access | 0018-9235 | 1939-9340 | SCIE  | 2.6                          | 2.8                   | Q2             | 0.31 | 0.00192     | 0.948                         | 2.5       |
| J-SYS               | IEEE Systems Journal                                                                       | Hybrid Open Access | 1932-8184 | 1937-9234 | SCIE  | 4.0                          | 3.9                   | Q1             | 1.06 | 0.02180     | 0.959                         | 9.8       |
| T-AES               | IEEE Transactions on Aerospace and Electronic Systems                                      | Hybrid Open Access | 0018-9251 | 1557-9603 | SCIE  | 5.1                          | 4.7                   | Q1             | 1.43 | 0.01597     | 1.197                         | 7.8       |
| T-AFFC              | IEEE Transactions on Affective Computing                                                   | Hybrid Open Access | 1949-3045 | 1949-3045 | SCIE  | 9.6                          | 11.0                  | Q1             | 2.25 | 0.00822     | 2.525                         | 15        |
| T-AFE               | IEEE Transactions on AgriFood Electronics                                                  | Hybrid Open Access | N/A       | 2771-9529 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| T-AP                | IEEE Transactions on Antennas and Propagation                                              | Hybrid Open Access | 0018-926X | 1558-2221 | SCIE  | 4.6                          | 5.0                   | Q1             | 1.30 | 0.04543     | 1.136                         | 10.4      |
| T-ASC               | IEEE Transactions on Applied Superconductivity                                             | Hybrid Open Access | 1051-8223 | 1558-2515 | SCIE  | 1.7                          | 1.5                   | Q3             | 0.37 | 0.00996     | 0.313                         | 3.5       |
| T-AI                | IEEE Transactions on Artificial Intelligence                                               | Hybrid Open Access | N/A       | 2691-4581 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | 7.7       |
| T-AC                | IEEE Transactions on Automatic Control                                                     | Hybrid Open Access | 0018-9286 | 1558-2523 | SCIE  | 6.2                          | 6.6                   | Q1             | 1.57 | 0.05933     | 2.637                         | 11.3      |
| T-ASE               | IEEE Transactions on Automation Science and Engineering                                    | Hybrid Open Access | 1545-5955 | 1558-3783 | SCIE  | 5.9                          | 6.0                   | Q1             | 1.17 | 0.01369     | 1.391                         | 12.5      |
| T-BD                | IEEE Transactions on Big Data                                                              | Hybrid Open Access | 2332-7790 | 2332-7790 | SCIE  | 7.5                          | 5.8                   | Q1             | 2.48 | 0.00420     | 1.417                         | 11.8      |
| T-BCAS              | IEEE Transactions on Biomedical Circuits and Systems                                       | Hybrid Open Access | 1932-4545 | 1940-9990 | SCIE  | 3.8                          | 4.8                   | Q2             | 0.96 | 0.00615     | 1.189                         | 10        |
| T-BME               | IEEE Transactions on Biomedical Engineering                                                | Hybrid Open Access | 0018-9294 | 1558-2531 | SCIE  | 4.4                          | 4.8                   | Q2             | 1.06 | 0.01642     | 1.171                         | 9.4       |
| T-BIOM              | IEEE Transactions on Biometrics, Behavior, and Identity Science                            | Hybrid Open Access | N/A       | 2637-6407 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | 10.9      |
| T-BC                | IEEE Transactions on Broadcasting                                                          | Hybrid Open Access | 0018-9316 | 1557-9611 | SCIE  | 3.2                          | 3.6                   | Q2             | 0.98 | 0.00303     | 0.923                         | 9.4       |
| T-CASAI             | IEEE Transactions on Circuits and Systems for Artificial Intelligence <b>NEW for 2024!</b> | Hybrid Open Access | N/A       | N/A       | ESCI  | 2.4                          | 2.4                   | Q2             | 0.60 | 0.01280     | 1.017                         | N/A       |
| T-CSVT              | IEEE Transactions on Circuits and Systems for Video Technology                             | Hybrid Open Access | 1051-8215 | 1558-2205 | SCIE  | 8.3                          | 7.1                   | Q1             | 2.28 | 0.03142     | 1.915                         | 13.8      |
| T-CAS1              | IEEE Transactions on Circuits and Systems—I: Regular Papers                                | Hybrid Open Access | 1549-8328 | 1558-0806 | SCIE  | 5.2                          | 4.5                   | Q1             | 1.18 | 0.02310     | 1.261                         | 9.8       |
| T-CAS2              | IEEE Transactions on Circuits and Systems—II: Express Briefs                               | Hybrid Open Access | 1549-7747 | 1558-3791 | SCIE  | 4.0                          | 3.7                   | Q2             | 1.12 | 0.02570     | 0.944                         | 7.9       |
| T-CC                | IEEE Transactions on Cloud Computing                                                       | Hybrid Open Access | 2168-7161 | 2168-7161 | SCIE  | 5.3                          | 4.6                   | Q1             | 2.31 | 0.00553     | 1.093                         | 9.4       |
| T-CDS               | IEEE Transactions on Cognitive and Developmental Systems                                   | Hybrid Open Access | 2379-8920 | 2379-8939 | SCIE  | 5.0                          | 4.6                   | Q1             | 1.26 | 0.00409     | 1.115                         | 7.2       |
| T-CCN               | IEEE Transactions on Cognitive Communications and Networking                               | Hybrid Open Access | 2332-7731 | 2332-7731 | SCIE  | 7.4                          | 6.9                   | Q1             | 1.99 | 0.00846     | 2.001                         | 15.5      |
| T-COMM              | IEEE Transactions on Communications                                                        | Hybrid Open Access | 0090-6778 | 1558-0857 | SCIE  | 7.2                          | 6.3                   | Q1             | 1.88 | 0.04874     | 2.070                         | 16.1      |
| T-CPMT              | IEEE Transactions on Components, Packaging and Manufacturing Technology                    | Hybrid Open Access | 2156-3950 | 2156-3985 | SCIE  | 2.3                          | 2.1                   | Q2             | 0.45 | 0.00418     | 0.422                         | 4.7       |
| T-CI                | IEEE Transactions on Computational Imaging                                                 | Hybrid Open Access | 2573-0436 | 2333-9403 | SCIE  | 4.2                          | 4.7                   | Q2             | 1.04 | 0.00690     | 1.913                         | 8.2       |
| T-CSS               | IEEE Transactions on Computational Social Systems                                          | Hybrid Open Access | 2329-924X | 2329-924X | SCIE  | 4.5                          | 4.6                   | Q1             | 0.96 | 0.00716     | 0.923                         | 10        |
| T-CAD               | IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems              | Hybrid Open Access | 0278-0070 | 1937-4151 | SCIE  | 2.7                          | 2.9                   | Q2             | 0.66 | 0.00738     | 0.576                         | 5.6       |
| T-C                 | IEEE Transactions on Computers                                                             | Hybrid Open Access | 0018-9340 | 1557-9956 | SCIE  | 3.6                          | 3.2                   | Q2             | 0.96 | 0.00585     | 0.835                         | 6.6       |
| T-CE                | IEEE Transactions on Consumer Electronics                                                  | Hybrid Open Access | 0098-3063 | 1558-4127 | SCIE  | 4.3                          | 3.9                   | Q1             | 1.13 | 0.00142     | 0.735                         | 7.7       |
| T-CNS               | IEEE Transactions on Control of Network Systems                                            | Hybrid Open Access | 2325-5870 | 2372-2533 | SCIE  | 4.0                          | 4.3                   | Q2             | 0.96 | 0.01230     | 1.841                         | 7.8       |

| IEEE Title List     |                                                                            |                    |           |           |       |                              |                       |                |      |             |                               |           |
|---------------------|----------------------------------------------------------------------------|--------------------|-----------|-----------|-------|------------------------------|-----------------------|----------------|------|-------------|-------------------------------|-----------|
| Publication Acronym | Publication Title                                                          | Open Access Type   | ISSN      | eISSN     | Index | Journal Impact Factor (JIF)* | 5-Year Impact Factor* | Quartile (JIF) | JCI  | Eigenfactor | Article Influence Score (AIS) | CiteScore |
| T-CST               | IEEE Transactions on Control Systems Technology                            | Hybrid Open Access | 1063-6536 | 1558-0865 | SCIE  | 4.9                          | 5.3                   | Q1             | 1.14 | 0.01672     | 1.596                         | 10.7      |
| T-CYB               | IEEE Transactions on Cybernetics                                           | Hybrid Open Access | 2168-2267 | 2168-2275 | SCIE  | 9.4                          | 10.3                  | Q1             | 2.17 | 0.09061     | 3.230                         | 25.4      |
| T-DSC               | IEEE Transactions on Dependable and Secure Computing                       | Hybrid Open Access | 1545-5971 | 1941-0018 | SCIE  | 7.0                          | 6.8                   | Q1             | 2.50 | 0.01010     | 1.621                         | 11.2      |
| T-DMR               | IEEE Transactions on Device and Materials Reliability                      | Hybrid Open Access | 1530-4388 | 1558-2574 | SCIE  | 2.5                          | 2.1                   | Q2             | 0.52 | 0.00145     | 0.429                         | 4.8       |
| T-DEI               | IEEE Transactions on Dielectrics and Electrical Insulation                 | Hybrid Open Access | 1070-9878 | 1558-4135 | SCIE  | 2.9                          | 3.0                   | Q2             | 0.65 | 0.00558     | 0.491                         | 6         |
| T-E                 | IEEE Transactions on Education                                             | Hybrid Open Access | 0018-9359 | 1557-9638 | SCIE  | 2.1                          | 2.4                   | Q2             | 0.90 | 0.00094     | 0.447                         | 6         |
| T-EMC               | IEEE Transactions on Electromagnetic Compatibility                         | Hybrid Open Access | 0018-9375 | 1558-187X | SCIE  | 2.0                          | 2.0                   | Q3             | 0.50 | 0.00448     | 0.413                         | 4.8       |
| T-ED                | IEEE Transactions on Electron Devices                                      | Hybrid Open Access | 0018-9383 | 1557-9646 | SCIE  | 2.9                          | 2.9                   | Q2             | 0.71 | 0.02259     | 0.581                         | 5.8       |
| T-ETCI              | IEEE Transactions on Emerging Topics in Computational Intelligence         | Hybrid Open Access | 2471-285X | 2471-285X | SCIE  | 5.3                          | 5.7                   | Q1             | 1.01 | 0.00521     | 1.504                         | 10.3      |
| T-ETC               | IEEE Transactions on Emerging Topics in Computing                          | Hybrid Open Access | 2168-6750 | 2168-6750 | SCIE  | 5.1                          | 4.5                   | Q1             | 1.86 | 0.00457     | 1.096                         | 12.1      |
| T-EC                | IEEE Transactions on Energy Conversion                                     | Hybrid Open Access | 0885-8969 | 1558-0059 | SCIE  | 5.0                          | 5.1                   | Q2             | 1.01 | 0.01508     | 1.442                         | 11.1      |
| T-EMPR              | IEEE Transactions on Energy Markets, Policy and Regulation                 | Hybrid Open Access | N/A       | 2771-9626 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| T-EM                | IEEE Transactions on Engineering Management                                | Hybrid Open Access | 0018-9391 | 1558-0040 | SCIE  | 4.6                          | 4.9                   | Q1             | 1.23 | 0.00843     | 0.829                         | 10.3      |
| T-EVC               | IEEE Transactions on Evolutionary Computation                              | Hybrid Open Access | 1089-778X | 1941-0026 | SCIE  | 11.7                         | 15.5                  | Q1             | 2.77 | 0.01443     | 4.185                         | 21.9      |
| T-CASAI             | IEEE Transactions on Field Robotics <b>NEW for 2024!</b>                   | Hybrid Open Access | N/A       | 2996-6647 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| T-FUZZ              | IEEE Transactions on Fuzzy Systems                                         | Hybrid Open Access | 1063-6706 | 1941-0034 | SCIE  | 10.7                         | 9.7                   | Q1             | 2.95 | 0.03232     | 2.489                         | 20.5      |
| T-G                 | IEEE Transactions on Games                                                 | Hybrid Open Access | 2475-1502 | 2475-1510 | SCIE  | 1.7                          | 2.0                   | Q3             | 0.48 | 0.00057     | 0.325                         | 4.6       |
| T-GRS               | IEEE Transactions on Geoscience and Remote Sensing                         | Hybrid Open Access | 0196-2892 | 1558-0644 | SCIE  | 7.5                          | 7.6                   | Q1             | 1.88 | 0.07830     | 1.665                         | 11.5      |
| T-GCN               | IEEE Transactions on Green Communications and Networking                   | Hybrid Open Access | 2473-2400 | 2473-2400 | SCIE  | 5.3                          | 4.5                   | Q1             | 1.45 | 0.00618     | 1.236                         | 9.3       |
| T-H                 | IEEE Transactions on Haptics                                               | Hybrid Open Access | 1939-1412 | 2329-4051 | SCIE  | 2.4                          | 2.8                   | Q2             | 0.41 | 0.00153     | 0.504                         | 5.9       |
| T-HMS               | IEEE Transactions on Human-Machine Systems                                 | Hybrid Open Access | 2168-2291 | 2168-2305 | SCIE  | 3.5                          | 3.9                   | Q2             | 0.56 | 0.00288     | 0.861                         | 7.1       |
| T-IP                | IEEE Transactions on Image Processing                                      | Hybrid Open Access | 1057-7149 | 1941-0042 | SCIE  | 10.8                         | 12.1                  | Q1             | 2.00 | 0.08806     | 3.681                         | 20.9      |
| T-ICPS              | IEEE Transactions on Industrial Cyber-Physical Systems                     | Hybrid Open Access | N/A       | 2832-7004 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| T-IE                | IEEE Transactions on Industrial Electronics                                | Hybrid Open Access | 0278-0046 | 1557-9948 | SCIE  | 7.5                          | 8.0                   | Q1             | 2.07 | 0.09631     | 2.134                         | 16.8      |
| T-IINF              | IEEE Transactions on Industrial Informatics                                | Hybrid Open Access | 1551-3203 | 1941-0050 | SCIE  | 11.7                         | 11.4                  | Q1             | 2.58 | 0.08085     | 2.751                         | 24.1      |
| T-IA                | IEEE Transactions on Industry Applications                                 | Hybrid Open Access | 0093-9994 | 1939-9367 | SCIE  | 4.2                          | 4.5                   | Q2             | 1.31 | 0.03227     | 1.162                         | 9.9       |
| T-IFS               | IEEE Transactions on Information Forensics and Security                    | Hybrid Open Access | 1556-6013 | 1556-6021 | SCIE  | 6.3                          | 7.3                   | Q1             | 1.77 | 0.02344     | 1.990                         | 14.4      |
| T-IT                | IEEE Transactions on Information Theory                                    | Hybrid Open Access | 0018-9448 | 1557-9654 | SCIE  | 2.2                          | 2.4                   | Q3             | 0.66 | 0.02221     | 1.096                         | 5.7       |
| T-IM                | IEEE Transactions on Instrumentation and Measurement                       | Hybrid Open Access | 0018-9456 | 1557-9662 | SCIE  | 5.6                          | 5.6                   | Q1             | 1.37 | 0.04439     | 1.021                         | 9         |
| T-ITS               | IEEE Transactions on Intelligent Transportation Systems                    | Hybrid Open Access | 1524-9050 | 1558-0016 | SCIE  | 7.9                          | 8.3                   | Q1             | 2.00 | 0.06195     | 1.801                         | 14.8      |
| T-IV                | IEEE Transactions on Intelligent Vehicles                                  | Hybrid Open Access | 2379-8858 | 2379-8904 | SCIE  | 14.0                         | 11.2                  | Q1             | 2.44 | 0.00526     | 2.084                         | 12.1      |
| T-KDE               | IEEE Transactions on Knowledge and Data Engineering                        | Hybrid Open Access | 1041-4347 | 1558-2191 | SCIE  | 8.9                          | 8.8                   | Q1             | 2.55 | 0.02476     | 2.428                         | 11.7      |
| T-LT                | IEEE Transactions on Learning Technologies                                 | Hybrid Open Access | 1939-1382 | 1939-1382 | SCIE  | 2.9                          | 3.8                   | Q2             | 1.09 | 0.00161     | 0.721                         | 7.5       |
| T-MAG               | IEEE Transactions on Magnetics                                             | Hybrid Open Access | 0018-9464 | 1941-0069 | SCIE  | 2.1                          | 2.0                   | Q3             | 0.47 | 0.01229     | 0.482                         | 4         |
| T-MAT               | IEEE Transactions on Materials for Electron Devices <b>NEW for 2024!</b>   | Hybrid Open Access | N/A       | 2993-1576 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| T-MI                | IEEE Transactions on Medical Imaging                                       | Hybrid Open Access | 0278-0062 | 1558-254X | SCIE  | 8.9                          | 11.3                  | Q1             | 2.30 | 0.03777     | 2.966                         | 21.8      |
| T-MRB               | IEEE Transactions on Medical Robotics and Bionics                          | Hybrid Open Access | N/A       | 2576-3202 | ESCI  | 3.4                          | 3.7                   | Q2             | 0.79 | 0.00225     | 0.897                         | 6.8       |
| T-MTT               | IEEE Transactions on Microwave Theory and Techniques                       | Hybrid Open Access | 0018-9480 | 1557-9670 | SCIE  | 4.1                          | 4.2                   | Q2             | 1.02 | 0.02102     | 0.961                         | 8.6       |
| T-MC                | IEEE Transactions on Mobile Computing                                      | Hybrid Open Access | 1536-1233 | 1558-0660 | SCIE  | 7.7                          | 6.5                   | Q1             | 2.40 | 0.01557     | 1.590                         | 12.9      |
| T-MBMC              | IEEE Transactions on Molecular, Biological, and Multi-Scale Communications | Hybrid Open Access | N/A       | 2332-7804 | ESCI  | 2.4                          | N/A                   | Q2             | 0.63 | 0.00042     | N/A                           | 3.9       |
| T-MM                | IEEE Transactions on Multimedia                                            | Hybrid Open Access | 1520-9210 | 1941-0077 | SCIE  | 8.4                          | 8.0                   | Q1             | 2.39 | 0.02510     | 2.084                         | 11.7      |
| T-NB                | IEEE Transactions on NanoBioscience                                        | Hybrid Open Access | 1536-1241 | 1558-2639 | SCIE  | 3.7                          | 3.0                   | Q1             | 0.82 | 0.00158     | 0.581                         | 7         |
| T-NANO              | IEEE Transactions on Nanotechnology                                        | Hybrid Open Access | 1536-125X | 1941-0085 | SCIE  | 2.1                          | 2.3                   | Q3             | 0.47 | 0.00237     | 0.422                         | 4.8       |
| T-NSM               | IEEE Transactions on Network and Service Management                        | Hybrid Open Access | 1932-4537 | 1932-4537 | SCIE  | 4.7                          | 4.6                   | Q1             | 1.25 | 0.00951     | 1.003                         | 9.3       |
| T-NSE               | IEEE Transactions on Network Science and Engineering                       | Hybrid Open Access | 2327-4697 | 2327-4697 | SCIE  | 6.7                          | 6.0                   | Q1             | 2.42 | 0.01298     | 1.608                         | 12.6      |
| T-NNLS              | IEEE Transactions on Neural Networks and Learning Systems                  | Hybrid Open Access | 2162-237X | 2162-2388 | SCIE  | 10.2                         | 10.4                  | Q1             | 2.40 | 0.09427     | 2.999                         | 23.8      |
| T-NS                | IEEE Transactions on Nuclear Science                                       | Hybrid Open Access | 0018-9499 | 1558-1578 | SCIE  | 1.9                          | 1.8                   | Q3             | 0.67 | 0.00515     | 0.384                         | 3.7       |
| T-PDS               | IEEE Transactions on Parallel and Distributed Systems                      | Hybrid Open Access | 1045-9219 | 1558-2183 | SCIE  | 5.6                          | 4.5                   | Q1             | 1.62 | 0.01120     | 1.138                         | 11        |
| T-PAMI              | IEEE Transactions on Pattern Analysis and Machine Intelligence             | Hybrid Open Access | 0162-8828 | 1939-3539 | SCIE  | 20.8                         | 22.2                  | Q1             | 5.70 | 0.09432     | 6.861                         | 28.4      |
| T-PS                | IEEE Transactions on Plasma Science                                        | Hybrid Open Access | 0093-3813 | 1939-9375 | SCIE  | 1.3                          | 1.2                   | Q3             | 0.47 | 0.00722     | 0.291                         | 3         |
| T-PWRD              | IEEE Transactions on Power Delivery                                        | Hybrid Open Access | 0885-8977 | 1937-4208 | SCIE  | 3.8                          | 4.2                   | Q2             | 1.08 | 0.01641     | 1.085                         | 9         |
| T-PEL               | IEEE Transactions on Power Electronics                                     | Hybrid Open Access | 0885-8993 | 1941-0107 | SCIE  | 6.6                          | 6.9                   | Q1             | 1.72 | 0.07802     | 1.675                         | 15.2      |
| T-PWRS              | IEEE Transactions on Power Systems                                         | Hybrid Open Access | 0885-8950 | 1558-0679 | SCIE  | 6.5                          | 7.4                   | Q1             | 1.70 | 0.04587     | 2.075                         | 15.8      |
| T-PC                | IEEE Transactions on Professional Communication                            | Hybrid Open Access | 0361-1434 | 1558-1500 | SSCI  | 1.6                          | 1.7                   | Q2             | 0.56 | 0.00035     | 0.327                         | 3.2       |
| T-RS                | IEEE Transactions on Radar Systems                                         | Hybrid Open Access | N/A       | 2832-7357 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| T-RPMS              | IEEE Transactions on Radiation and Plasma Medical Sciences                 | Hybrid Open Access | 2469-7311 | 2469-7303 | ESCI  | 4.6                          | 3.6                   | Q1             | 1.51 | 0.00298     | 0.925                         | 8         |
| T-R                 | IEEE Transactions on Reliability                                           | Hybrid Open Access | 0018-9529 | 1558-1721 | SCIE  | 5.0                          | 5.2                   | Q1             | 1.55 | 0.00559     | 1.087                         | 12.2      |
| T-RO                | IEEE Transactions on Robotics                                              | Hybrid Open Access | 1552-3098 | 1941-0468 | SCIE  | 9.4                          | 9.9                   | Q1             | 2.01 | 0.01934     | 2.859                         | 14.9      |
| T-SCM               | IEEE Transactions on Semiconductor Manufacturing                           | Hybrid Open Access | 0894-6507 | 1558-2345 | SCIE  | 2.3                          | 3.1                   | Q2             | 0.54 | 0.00168     | 0.564                         | 5.2       |
| T-SC                | IEEE Transactions on Services Computing                                    | Hybrid Open Access | 1939-1374 | 1939-1374 | SCIE  | 5.5                          | 5.9                   | Q1             | 2.76 | 0.00681     | 1.265                         | 11.5      |
| T-SIPN              | IEEE Transactions on Signal and Information Processing over Networks       | Hybrid Open Access | 2373-776X | 2373-776X | SCIE  | 3.0                          | 3.3                   | Q2             | 0.81 | 0.00325     | 1.290                         | 5.8       |
| T-SPI               | IEEE Transactions on Signal and Power Integrity                            | Hybrid Open Access | N/A       | 2768-1866 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| T-SP                | IEEE Transactions on Signal Processing                                     | Hybrid Open Access | 1053-587X | 1941-0476 | SCIE  | 4.6                          | 5.2                   | Q1             | 1.19 | 0.03593     | 1.897                         | 11.2      |
| T-SG                | IEEE Transactions on Smart Grid                                            | Hybrid Open Access | 1949-3053 | 1949-3061 | SCIE  | 8.6                          | 9.6                   | Q1             | 2.28 | 0.05716     | 2.654                         | 22.1      |
| T-SE                | IEEE Transactions on Software Engineering                                  | Hybrid Open Access | 0098-5589 | 1939-3520 | SCIE  | 6.5                          | 7.0                   | Q1             | 2.26 | 0.00641     | 1.251                         | 9.7       |
| T-SUSC              | IEEE Transactions on Sustainable Computing                                 | Hybrid Open Access | 2377-3782 | 2377-3782 | SCIE  | 3.0                          | 3.3                   | Q2             | 1.12 | 0.00147     | 0.766                         | 7.7       |

[illegible]