

| IEEE Title List     |                                                                                                    |                    |           |           |       |                              |                       |                |       |             |                               |           |
|---------------------|----------------------------------------------------------------------------------------------------|--------------------|-----------|-----------|-------|------------------------------|-----------------------|----------------|-------|-------------|-------------------------------|-----------|
| Publication Acronym | Publication Title                                                                                  | Open Access Type   | ISSN      | eISSN     | Index | Journal Impact Factor (JIF)* | 5-Year Impact Factor* | Quartile (JIF) | JCI   | Eigenfactor | Article Influence Score (AIS) | CiteScore |
| ACCESS              | IEEE Access                                                                                        | Full Open Access   | 2169-3536 | 2169-3536 | SCIE  | 3.6                          | 3.9                   | Q2             | 0.82  | 0.34597     | 0.670                         | 9         |
| IEEEDATA            | IEEE Data Descriptions                                                                             | Full Open Access   | N/A       | 2995-4274 | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       |
| J-HSPIN             | IEEE Journal of Indoor and Seamless Positioning and Navigation                                     | Full Open Access   | N/A       | 2832-7322 | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       |
| JMW                 | IEEE Journal of Microwaves                                                                         | Full Open Access   | N/A       | 2692-8388 | ESCI  | 4.9                          | 7.3                   | Q1             | 1.59  | 0.00291     | 1.637                         | 14.8      |
| JSAS                | IEEE Journal of Selected Areas in Sensors                                                          | Full Open Access   | N/A       | 2836-2071 | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       |
| J-STARs             | IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing                   | Full Open Access   | 1939-1404 | 2151-1535 | SCIE  | 5.3                          | 5.6                   | Q1             | 1.16  | 0.03176     | 1.190                         | 9.3       |
| JSTeAP              | IEEE Journal of Selected Topics in Electromagnetics, Antennas and Propagation <b>NEW for 2025!</b> | Full Open Access   | N/A       | 3066-2494 | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       |
| JEDS                | IEEE Journal of the Electron Devices Society                                                       | Full Open Access   | 2168-6734 | 2168-6734 | SCIE  | 2.4                          | 2.5                   | Q3             | 0.53  | 0.00353     | 0.554                         | 5         |
| JTEHM               | IEEE Journal of Translational Engineering in Health and Medicine                                   | Full Open Access   | 2168-2372 | 2168-2372 | SCIE  | 4.4                          | 4.1                   | Q2             | 0.86  | 0.00186     | 0.873                         | 8.7       |
| JXCDC               | IEEE Journal on Exploratory Solid-State Computational Devices and Circuits                         | Full Open Access   | 2329-9231 | 2329-9231 | ESCI  | 2.7                          | 2.7                   | Q2             | 0.61  | 0.00063     | 0.666                         | 5.1       |
| OAJPE               | IEEE Open Access Journal of Power and Energy                                                       | Full Open Access   | N/A       | 2687-7910 | ESCI  | 3.2                          | 4.0                   | Q3             | 0.54  | 0.00167     | 1.080                         | 7         |
| OJAP                | IEEE Open Journal of Antennas and Propagation                                                      | Full Open Access   | N/A       | 2637-6431 | ESCI  | 3.6                          | 4.1                   | Q2             | 0.81  | 0.00297     | 1.028                         | 7.4       |
| OJICAS              | IEEE Open Journal of Circuits and Systems                                                          | Full Open Access   | N/A       | 2644-1225 | ESCI  | 2.4                          | 2.9                   | Q2             | 0.49  | 0.00065     | 0.665                         | 5.9       |
| OJ-CSS              | IEEE Open Journal of Control Systems                                                               | Full Open Access   | N/A       | 2694-085X | N/A   | 1.2                          | 1.2                   | Q4             | 0.26  | 0.00025     | 0.531                         | 2.3       |
| OJEMB               | IEEE Open Journal of Engineering in Medicine and Biology                                           | Full Open Access   | N/A       | 2644-1276 | ESCI  | 2.9                          | 3.3                   | Q3             | 0.50  | 0.00074     | 0.705                         | 4.5       |
| OJIA                | IEEE Open Journal of Industry Applications                                                         | Full Open Access   | N/A       | 2644-1241 | ESCI  | 3.3                          | 7.2                   | Q1             | 0.76  | 0.00124     | 2.018                         | 11.6      |
| OJIM                | IEEE Open Journal of Instrumentation and Measurement                                               | Full Open Access   | N/A       | 2768-7236 | N/A   | 1.5                          | 1.5                   | Q3             | 0.27  | 0.00014     | 0.241                         | 2.7       |
| OJITS               | IEEE Open Journal of Intelligent Transportation Systems                                            | Full Open Access   | N/A       | 2687-7813 | ESCI  | 5.3                          | 4.9                   | Q2             | 1.00  | 0.00117     | 0.802                         | 8.8       |
| OJNANO              | IEEE Open Journal of Nanotechnology                                                                | Full Open Access   | N/A       | 2644-1292 | ESCI  | 1.9                          | 1.9                   | Q3             | 0.27  | 0.00022     | 0.322                         | 3.9       |
| OJPEL               | IEEE Open Journal of Power Electronics                                                             | Full Open Access   | N/A       | 2644-1314 | ESCI  | 3.9                          | 5.1                   | Q1             | 0.84  | 0.00231     | 1.347                         | 9.1       |
| OJSP                | IEEE Open Journal of Signal Processing                                                             | Full Open Access   | N/A       | 2644-1322 | ESCI  | 2.7                          | 3.5                   | Q2             | 0.60  | 0.00105     | 1.098                         | 5         |
| OJSE                | IEEE Open Journal of Systems Engineering                                                           | Full Open Access   | N/A       | 2771-9987 | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       |
| OJCOMS              | IEEE Open Journal of the Communications Society                                                    | Full Open Access   | N/A       | 2644-125X | ESCI  | 6.1                          | 8.2                   | Q1             | 1.37  | 0.00980     | 2.162                         | 10.5      |
| OJCS                | IEEE Open Journal of the Computer Society                                                          | Full Open Access   | N/A       | 2644-1268 | ESCI  | 8.2                          | 7.5                   | Q1             | 1.53  | 0.00126     | 1.560                         | 11.9      |
| OJIES               | IEEE Open Journal of the Industrial Electronics Society                                            | Full Open Access   | N/A       | 2644-1284 | ESCI  | 4.3                          | 5.4                   | Q1             | 1.08  | 0.00172     | 1.257                         | 11.1      |
| OJSSCS              | IEEE Open Journal of the Solid-State Circuits Society                                              | Full Open Access   | N/A       | 2644-1349 | N/A   | 3.2                          | 3.9                   | Q2             | 0.69  | 0.00052     | 1.081                         | 6.7       |
| OJUIFFC             | IEEE Open Journal of Ultrasonics, Ferroelectrics, and Frequency Control                            | Full Open Access   | N/A       | 2694-0884 | N/A   | 2.9                          | 2.7                   | Q2             | 0.54  | 0.00024     | 0.686                         | N/A       |
| OJVT                | IEEE Open Journal of Vehicular Technology                                                          | Full Open Access   | N/A       | 2644-1330 | ESCI  | 4.8                          | 5.8                   | Q1             | 1.01  | 0.00144     | 1.280                         | 8.3       |
| OJID                | IEEE Open Journal on Immersive Displays                                                            | Full Open Access   | N/A       | 2836-211X | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       |
| JPHOT               | IEEE Photonics Journal                                                                             | Full Open Access   | 1943-0647 | 1943-0655 | SCIE  | 2.4                          | 2.3                   | Q3             | 0.54  | 0.00896     | 0.445                         | 5.1       |
| JSR                 | IEEE Sensors Reviews                                                                               | Full Open Access   | 2995-7478 | 2995-7478 | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       |
| LSMC                | IEEE Systems, Man, and Cybernetics Letters                                                         | Full Open Access   | N/A       | 2836-628X | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       |
| T-MLCN              | IEEE Transactions on Machine Learning in Communications and Networking                             | Full Open Access   | N/A       | 2831-316X | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       |
| T-NSRE              | IEEE Transactions on Neural Systems and Rehabilitation Engineering                                 | Full Open Access   | 1534-4320 | 1558-0210 | SCIE  | 5.2                          | 5.7                   | Q1             | 1.95  | 0.01592     | 1.261                         | 9.1       |
| TP                  | IEEE Transactions on Privacy                                                                       | Full Open Access   | N/A       | 2836-208X | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       |
| TQE                 | IEEE Transactions on Quantum Engineering                                                           | Full Open Access   | N/A       | 2689-1808 | N/A   | 4.6                          | 6.1                   | Q1             | 0.96  | 0.00239     | 1.580                         | 9.2       |
| M-C                 | Computer                                                                                           | Hybrid Open Access | 0018-9162 | 1558-0814 | SCIE  | 2.3                          | 2.3                   | Q3             | 0.53  | 0.00281     | 0.530                         | 4.4       |
| CISE                | Computing in Science & Engineering                                                                 | Hybrid Open Access | 1521-9615 | 1558-366X | SCIE  | 1.9                          | 2.3                   | Q3             | 0.38  | 0.00135     | 0.625                         | 5.1       |
| M-AHC               | IEEE Annals of the History of Computing                                                            | Hybrid Open Access | 1058-6180 | 1934-1547 | SCIE  | 0.7                          | 0.7                   | Q4             | 0.29  | 0.00031     | 0.333                         | 1         |
| M-AP                | IEEE Antennas and Propagation Magazine                                                             | Hybrid Open Access | 1045-9243 | 1558-4143 | SCIE  | 5.7                          | 4.3                   | Q2             | 0.90  | 0.00221     | 1.082                         | 7.8       |
| L-AWP               | IEEE Antennas and Wireless Propagation Letters                                                     | Hybrid Open Access | 1536-1225 | 1548-5757 | SCIE  | 4.8                          | 5.0                   | Q1             | 1.04  | 0.02371     | 1.101                         | 7.6       |
| M-BITS              | IEEE BITS: the Information Theory Magazine                                                         | Hybrid Open Access | 2692-4080 | 2692-4110 | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       |
| J-CIECE             | IEEE Canadian Journal of Electrical and Computer Engineering                                       | Hybrid Open Access | N/A       | 2694-1783 | SCIE  | 1.9                          | 2.3                   | Q3             | 0.40  | 0.00043     | 0.429                         | 6.4       |
| L-COMM              | IEEE Communications Letters                                                                        | Hybrid Open Access | 1089-7798 | 1558-2558 | SCIE  | 4.4                          | 4.2                   | Q2             | 0.97  | 0.03189     | 1.215                         | 9         |
| M-COMM              | IEEE Communications Magazine                                                                       | Hybrid Open Access | 0163-6804 | 1558-1896 | SCIE  | 8.2                          | 10.0                  | Q1             | 1.86  | 0.02048     | 2.758                         | 16.9      |
| M-COMSTD            | IEEE Communications Standards Magazine                                                             | Hybrid Open Access | 2471-2825 | 2471-2833 | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | 16.2      |
| COMST               | IEEE Communications Surveys and Tutorials                                                          | Hybrid Open Access | N/A       | 1553-877X | SCIE  | 46.7                         | 42.8                  | Q1             | 10.20 | 0.03780     | 10.703                        | 86.2      |
| CI-L                | IEEE Computational Intelligence Letters <b>Coming in 2026!</b>                                     | Hybrid Open Access | N/A       | 3070-1139 | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       |
| L-CA                | IEEE Computer Architecture Letters                                                                 | Hybrid Open Access | 1556-6056 | 1556-6064 | SCIE  | 1.4                          | 1.9                   | Q3             | 0.32  | 0.00069     | 0.411                         | 2.9       |
| M-CG&A              | IEEE Computer Graphics and Applications                                                            | Hybrid Open Access | 0272-1716 | 1558-1756 | SCIE  | 1.4                          | 2.1                   | Q3             | 0.45  | 0.00116     | 0.520                         | 3.8       |
| L-CSS               | IEEE Control Systems Letters                                                                       | Hybrid Open Access | N/A       | 2475-1456 | ESCI  | 2.0                          | 2.2                   | Q3             | 0.52  | 0.01448     | 0.928                         | 5.1       |
| M-EI                | IEEE Electrical Insulation Magazine                                                                | Hybrid Open Access | 0883-7554 | 1558-4402 | SCIE  | 1.3                          | 2.4                   | Q3             | 0.30  | 0.00044     | 0.472                         | 3.6       |
| L-ED                | IEEE Electron Device Letters                                                                       | Hybrid Open Access | 0741-3106 | 1558-0563 | SCIE  | 4.5                          | 4.6                   | Q2             | 1.07  | 0.01686     | 0.931                         | 7.6       |
| ED-M                | IEEE Electron Devices Magazine                                                                     | Hybrid Open Access | 2832-7683 | 2832-7691 | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       |
| EDR                 | IEEE Electron Devices Reviews                                                                      | Hybrid Open Access | 2995-424X | 2995-424X | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | N/A       |
| L-ES                | IEEE Embedded Systems Letters                                                                      | Hybrid Open Access | 1943-0663 | 1943-0671 | SCIE  | 2.0                          | 1.7                   | Q4             | 0.50  | 0.00058     | 0.323                         | 3.4       |
| R-EM                | IEEE Engineering Management Review                                                                 | Hybrid Open Access | 0360-8581 | 1937-4178 | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | 4.9       |
| L-GRS               | IEEE Geoscience and Remote Sensing Letters                                                         | Hybrid Open Access | 1545-598X | 1558-0571 | SCIE  | 4.4                          | 4.7                   | Q2             | 1.00  | 0.03195     | 1.020                         | 9         |
| M-GRS               | IEEE Geoscience and Remote Sensing Magazine                                                        | Hybrid Open Access | 2473-2397 | 2168-6831 | SCIE  | 16.4                         | 19.1                  | Q1             | 3.01  | 0.00632     | 4.880                         | 27.1      |
| M-IA                | IEEE Industry Applications Magazine                                                                | Hybrid Open Access | 1077-2618 | 1558-0598 | SCIE  | 0.8                          | 0.9                   | Q4             | 0.15  | 0.00037     | 0.211                         | 1.7       |
| M-IM                | IEEE Instrumentation & Measurement Magazine                                                        | Hybrid Open Access | 1094-6969 | 1941-0123 | SCIE  | 1.6                          | 1.7                   | Q3             | 0.41  | 0.00079     | 0.293                         | 4.1       |
| M-IS                | IEEE Intelligent Systems                                                                           | Hybrid Open Access | 1541-1672 | 1941-1294 | SCIE  | 6.1                          | 6.6                   | Q1             | 1.15  | 0.00331     | 1.672                         | 13.6      |
| M-IC                | IEEE Internet Computing                                                                            | Hybrid Open Access | 1089-7801 | 1941-0131 | SCIE  | 4.4                          | 3.7                   | Q2             | 1.26  | 0.00132     | 0.757                         | 9.9       |
| J-IOT               | IEEE Internet of Things Journal                                                                    | Hybrid Open Access | 2327-4662 | 2327-4662 | SCIE  | 8.9                          | 9.6                   | Q1             | 2.21  | 0.10202     | 1.911                         | 16.3      |
| M-IOT               | IEEE Internet of Things Magazine                                                                   | Hybrid Open Access | 2576-3180 | 2576-3199 | N/A   | N/A                          | N/A                   | N/A            | N/A   | N/A         | N/A                           | 6.8       |
| J-BHI               | IEEE Journal of Biomedical and Health Informatics                                                  | Hybrid Open Access | 2168-2194 | 2168-2208 | SCIE  | 6.8                          | 7.0                   | Q1             | 1.84  | 0.02519     | 1.512                         | 13.5      |
| J-ERM               | IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology                        | Hybrid Open Access | 2469-7249 | 2469-7257 | ESCI  | 3.2                          | 3.3                   | Q2             | 0.74  | 0.00126     | 0.643                         | 8.1       |
| J-ESTIE             | IEEE Journal of Emerging and Selected Topics in Industrial Electronics                             | Hybrid Open Access | 2687-9735 | 2687-9743 | N/A   | 4.0                          | 4.1                   | Q2             | 1.04  | 0.00274     | 1.091                         | N/A       |
| J-ESTPE             | IEEE Journal of Emerging and Selected Topics in Power Electronics                                  | Hybrid Open Access | 2168-6777 | 2168-6785 | SCIE  | 4.9                          | 5.5                   | Q1             | 1.26  | 0.02949     | 1.620                         | 12.8      |
| J-OE                | IEEE Journal of Oceanic Engineering                                                                | Hybrid Open Access | 0364-9059 | 1558-1691 | SCIE  | 5.3                          | 4.9                   | Q1             | 1.12  | 0.00443     | 1.059                         | 9.3       |

| IEEE Title List     |                                                                               |                    |           |           |       |                              |                       |                |      |             |                               |           |
|---------------------|-------------------------------------------------------------------------------|--------------------|-----------|-----------|-------|------------------------------|-----------------------|----------------|------|-------------|-------------------------------|-----------|
| Publication Acronym | Publication Title                                                             | Open Access Type   | ISSN      | eISSN     | Index | Journal Impact Factor (JIF)* | 5-Year Impact Factor* | Quartile (JIF) | JCI  | Eigenfactor | Article Influence Score (AIS) | CiteScore |
| J-PHOTOV            | IEEE Journal of Photovoltaics                                                 | Hybrid Open Access | 2156-3381 | 2156-3403 | SCIE  | 2.6                          | 3.1                   | Q3             | 0.48 | 0.00532     | 0.664                         | 6.7       |
| J-QE                | IEEE Journal of Quantum Electronics                                           | Hybrid Open Access | 0018-9197 | 1558-1713 | SCIE  | 2.1                          | 2.0                   | Q3             | 0.53 | 0.00140     | 0.424                         | 4.2       |
| J-RFID              | IEEE Journal of Radio Frequency Identification                                | Hybrid Open Access | N/A       | 2469-7281 | ESCI  | 3.4                          | 3.0                   | Q2             | 0.70 | 0.00119     | 0.470                         | 6.1       |
| J-STQE              | IEEE Journal of Selected Topics in Quantum Electronics                        | Hybrid Open Access | 1077-260X | 1558-4542 | SCIE  | 5.1                          | 4.6                   | Q2             | 1.17 | 0.00723     | 1.016                         | 9.9       |
| J-STSP              | IEEE Journal of Selected Topics in Signal Processing                          | Hybrid Open Access | 1932-4553 | 1941-0484 | SCIE  | 13.7                         | 11.6                  | Q1             | 2.62 | 0.01370     | 3.476                         | 24.3      |
| J-SSC               | IEEE Journal of Solid-State Circuits                                          | Hybrid Open Access | 0018-9200 | 1558-173X | SCIE  | 5.6                          | 6.8                   | Q1             | 1.19 | 0.01762     | 1.406                         | 11.1      |
| JETCAS              | IEEE Journal on Emerging and Selected Topics in Circuits and Systems          | Hybrid Open Access | 2156-3357 | 2156-3365 | SCIE  | 3.8                          | 5.0                   | Q1             | 1.01 | 0.00391     | 1.411                         | 9.6       |
| J-FLEX              | IEEE Journal on Flexible Electronics                                          | Hybrid Open Access | N/A       | 2768-167X | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | 3.4       |
| J-MASS              | IEEE Journal on Miniaturization for Air and Space Systems                     | Hybrid Open Access | N/A       | 2576-3164 | N/A   | 2.1                          | 2.5                   | Q2             | 0.64 | 0.00054     | 0.535                         | 5.9       |
| J-MMCT              | IEEE Journal on Multiscale and Multiphysics Computational Techniques          | Hybrid Open Access | N/A       | 2379-8793 | ESCI  | 1.5                          | 1.8                   | Q3             | 0.41 | 0.00057     | 0.443                         | 3.8       |
| J-SAC               | IEEE Journal on Selected Areas in Communications                              | Hybrid Open Access | 0733-8716 | 1558-0008 | SCIE  | 17.2                         | 17.4                  | Q1             | 3.80 | 0.04801     | 5.391                         | 33.6      |
| J-SAIT              | IEEE Journal on Selected Areas in Information Theory                          | Hybrid Open Access | N/A       | 2641-8770 | N/A   | 2.2                          | 3.5                   | Q2             | 0.68 | 0.00345     | 1.562                         | 7.5       |
| J-WPT               | IEEE Journal on Wireless Power Technologies <b>Coming in 2026!</b>            | Hybrid Open Access | 3066-5736 | N/A       | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| L-EMCPA             | IEEE Letters on Electromagnetic Compatibility Practice and Applications       | Hybrid Open Access | N/A       | 2637-6423 | ESCI  | 1.0                          | 1.3                   | Q4             | 0.25 | 0.00029     | 0.306                         | N/A       |
| L-MAG               | IEEE Magnetics Letters                                                        | Hybrid Open Access | 1949-307X | 1949-3088 | SCIE  | 1.4                          | 1.3                   | Q4             | 0.28 | 0.00079     | 0.312                         | 2.7       |
| M-MICRO             | IEEE Micro                                                                    | Hybrid Open Access | 0272-1732 | 1937-4143 | SCIE  | 2.9                          | 3.7                   | Q2             | 0.83 | 0.00238     | 0.947                         | 7.1       |
| L-MWT               | IEEE Microwave and Wireless Technology Letters**                              | Hybrid Open Access | 2771-957X | 2771-9588 | SCIE  | 3.4                          | 3.4                   | Q2             | 0.69 | 0.00233     | 0.722                         | 6.3       |
| M-MULTI             | IEEE MultiMedia                                                               | Hybrid Open Access | 1070-986X | 1941-0166 | SCIE  | 3.3                          | 2.9                   | Q2             | 0.71 | 0.00103     | 0.721                         | 7.1       |
| M-NET               | IEEE Network                                                                  | Hybrid Open Access | 0890-8044 | 1558-156X | SCIE  | 6.3                          | 8.7                   | Q1             | 1.63 | 0.01768     | 2.249                         | 16.2      |
| L-NET               | IEEE Networking Letters                                                       | Hybrid Open Access | N/A       | 2576-3156 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | 5.3       |
| M-PVC               | IEEE Pervasive Computing                                                      | Hybrid Open Access | 1536-1268 | 1558-2590 | SCIE  | 1.8                          | 1.9                   | Q3             | 0.46 | 0.00041     | 0.334                         | 4.3       |
| L-PT                | IEEE Photonics Technology Letters                                             | Hybrid Open Access | 1041-1135 | 1941-0174 | SCIE  | 2.5                          | 2.4                   | Q3             | 0.63 | 0.00715     | 0.471                         | 4.9       |
| M-RL                | IEEE Reliability Magazine                                                     | Hybrid Open Access | N/A       | 2641-8819 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| R-BME               | IEEE Reviews in Biomedical Engineering                                        | Hybrid Open Access | 1937-3333 | 1941-1189 | SCIE  | 12.0                         | 13.1                  | Q1             | 2.66 | 0.00278     | 2.840                         | 43.2      |
| IEEE-RITA           | IEEE Revista Iberoamericana de Tecnologías del Aprendizaje                    | Hybrid Open Access | N/A       | 1932-8540 | ESCI  | 1.0                          | 1.3                   | Q4             | 0.24 | 0.00031     | 0.188                         | 4.0       |
| M-RA                | IEEE Robotics & Automation Magazine                                           | Hybrid Open Access | 1070-9932 | 1558-223X | SCIE  | 7.1                          | 7.3                   | Q1             | 0.97 | 0.00257     | 1.567                         | 7.9       |
| L-RA                | IEEE Robotics and Automation Letters                                          | Hybrid Open Access | 2377-3766 | 2377-3766 | SCIE  | 5.3                          | 6.0                   | Q1             | 1.22 | 0.05420     | 1.312                         | 10.3      |
| RAP                 | IEEE Robotics and Automation Practice <b>NEW for 2025/2026!</b>               | Hybrid Open Access | 2995-4304 | 2995-4304 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| M-S&P               | IEEE Security & Privacy                                                       | Hybrid Open Access | 1540-7993 | 1558-4046 | SCIE  | 3.0                          | 3.0                   | Q2             | 0.56 | 0.00119     | 0.645                         | 4.8       |
| J-SEN               | IEEE Sensors Journal                                                          | Hybrid Open Access | 1530-437X | 1558-1748 | SCIE  | 4.5                          | 4.7                   | Q2             | 1.00 | 0.06595     | 0.745                         | 8.2       |
| L-SEN               | IEEE Sensors Letters                                                          | Hybrid Open Access | 2475-1472 | 2475-1472 | ESCI  | 2.2                          | 2.4                   | Q3             | 0.46 | 0.00343     | 0.422                         | 3.3       |
| SEM                 | IEEE Sensors Magazine <b>Coming in 2026!</b>                                  | Hybrid Open Access | 3068-8604 | 3068-8612 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| L-SP                | IEEE Signal Processing Letters                                                | Hybrid Open Access | 1070-9908 | 1558-2361 | SCIE  | 3.9                          | 3.9                   | Q2             | 0.87 | 0.01691     | 0.983                         | 7.2       |
| M-SOFT              | IEEE Software                                                                 | Hybrid Open Access | 0740-7459 | 1937-4194 | SCIE  | 3.0                          | 3.3                   | Q2             | 0.75 | 0.00144     | 0.551                         | 6         |
| L-SSC               | IEEE Solid-State Circuits Letters                                             | Hybrid Open Access | N/A       | 2573-9603 | ESCI  | 2.0                          | 2.1                   | Q3             | 0.48 | 0.00219     | 0.683                         | 3.8       |
| SPEC                | IEEE Spectrum                                                                 | Hybrid Open Access | 0018-9235 | 1939-9340 | SCIE  | 2.4                          | 2.7                   | Q2             | 0.28 | 0.00135     | 0.660                         | 2.5       |
| J-SYS               | IEEE Systems Journal                                                          | Hybrid Open Access | 1932-8184 | 1937-9234 | SCIE  | 4.4                          | 4.4                   | Q2             | 1.02 | 0.02238     | 1.024                         | 11.8      |
| T-AES               | IEEE Transactions on Aerospace and Electronic Systems                         | Hybrid Open Access | 0018-9251 | 1557-9603 | SCIE  | 5.7                          | 5.3                   | Q1             | 1.53 | 0.02104     | 1.277                         | 9         |
| T-AFFC              | IEEE Transactions on Affective Computing                                      | Hybrid Open Access | 1949-3045 | 1949-3045 | SCIE  | 9.8                          | 10.2                  | Q1             | 2.25 | 0.00959     | 2.047                         | 18.5      |
| T-AFE               | IEEE Transactions on AgriFood Electronics                                     | Hybrid Open Access | N/A       | 2771-9529 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| T-AP                | IEEE Transactions on Antennas and Propagation                                 | Hybrid Open Access | 0018-926X | 1558-2221 | SCIE  | 5.8                          | 6.0                   | Q1             | 1.29 | 0.04303     | 1.093                         | 11.4      |
| T-ASC               | IEEE Transactions on Applied Superconductivity                                | Hybrid Open Access | 1051-8223 | 1558-2515 | SCIE  | 1.8                          | 1.8                   | Q3             | 0.39 | 0.00875     | 0.305                         | 3.4       |
| T-AI                | IEEE Transactions on Artificial Intelligence                                  | Hybrid Open Access | N/A       | 2691-4581 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | 6.4       |
| T-ASLPRO            | IEEE Transactions on Audio, Speech, and Language Processing†                  | Hybrid Open Access | 1558-7916 | 1558-7924 | SCIE  | 5.1                          | 6.1                   | Q1             | 1.54 | 0.00978     | 0.975                         | 12.4      |
| T-AC                | IEEE Transactions on Automatic Control                                        | Hybrid Open Access | 0018-9286 | 1558-2523 | SCIE  | 7.0                          | 7.2                   | Q1             | 1.66 | 0.06472     | 2.691                         | 12        |
| T-ASE               | IEEE Transactions on Automation Science and Engineering                       | Hybrid Open Access | 1545-5955 | 1558-3783 | SCIE  | 6.4                          | 7.0                   | Q1             | 1.20 | 0.01953     | 1.545                         | 12        |
| T-BD                | IEEE Transactions on Big Data                                                 | Hybrid Open Access | 2332-7790 | 2332-7790 | SCIE  | 5.7                          | 5.7                   | Q1             | 1.93 | 0.00481     | 1.418                         | 15.3      |
| T-BCAS              | IEEE Transactions on Biomedical Circuits and Systems                          | Hybrid Open Access | 1932-4545 | 1940-9990 | SCIE  | 4.9                          | 5.4                   | Q2             | 0.89 | 0.00563     | 1.189                         | 9.2       |
| T-BME               | IEEE Transactions on Biomedical Engineering                                   | Hybrid Open Access | 0018-9294 | 1558-2531 | SCIE  | 4.5                          | 4.7                   | Q2             | 1.00 | 0.01642     | 1.198                         | 9.6       |
| T-BIOM              | IEEE Transactions on Biometrics, Behavior, and Identity Science               | Hybrid Open Access | N/A       | 2637-6407 | N/A   | 5.0                          | N/A                   | N/A            | 0.95 | 0.00198     | N/A                           | 11.9      |
| T-BC                | IEEE Transactions on Broadcasting                                             | Hybrid Open Access | 0018-9316 | 1557-9611 | SCIE  | 4.8                          | 4.3                   | Q2             | 0.96 | 0.00257     | 0.803                         | 8.2       |
| T-CASAI             | IEEE Transactions on Circuits and Systems for Artificial Intelligence         | Hybrid Open Access | N/A       | 2996-6647 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| T-CSVT              | IEEE Transactions on Circuits and Systems for Video Technology                | Hybrid Open Access | 1051-8215 | 1558-2205 | SCIE  | 11.1                         | 9.8                   | Q1             | 2.41 | 0.03910     | 2.164                         | 15.4      |
| T-CAS1              | IEEE Transactions on Circuits and Systems—I: Regular Papers                   | Hybrid Open Access | 1549-8328 | 1558-0806 | SCIE  | 5.2                          | 5.3                   | Q1             | 1.21 | 0.02361     | 1.286                         | 10.6      |
| T-CAS2              | IEEE Transactions on Circuits and Systems—II: Express Briefs                  | Hybrid Open Access | 1549-7747 | 1558-3791 | SCIE  | 4.9                          | 4.5                   | Q2             | 1.14 | 0.03009     | 1.007                         | 8.8       |
| T-CC                | IEEE Transactions on Cloud Computing                                          | Hybrid Open Access | 2168-7161 | 2168-7161 | SCIE  | 5.0                          | 4.5                   | Q1             | 1.78 | 0.00612     | 0.989                         | 11.8      |
| T-CDS               | IEEE Transactions on Cognitive and Developmental Systems                      | Hybrid Open Access | 2379-8920 | 2379-8939 | SCIE  | 4.9                          | 5.0                   | Q2             | 1.23 | 0.00462     | 1.081                         | 9.4       |
| T-CCN               | IEEE Transactions on Cognitive Communications and Networking                  | Hybrid Open Access | 2332-7731 | 2332-7731 | SCIE  | 7.0                          | 7.8                   | Q1             | 1.79 | 0.00892     | 2.020                         | 14.9      |
| T-COMM              | IEEE Transactions on Communications                                           | Hybrid Open Access | 0090-6778 | 1558-0857 | SCIE  | 8.3                          | 8.0                   | Q1             | 1.89 | 0.05376     | 2.378                         | 17        |
| T-CPMT              | IEEE Transactions on Components, Packaging and Manufacturing Technology       | Hybrid Open Access | 2156-3950 | 2156-3985 | SCIE  | 3.0                          | 2.7                   | Q2             | 0.55 | 0.00488     | 0.529                         | 5.4       |
| T-CBBIO             | IEEE Transactions on Computational Biology and Bioinformatics‡                | Hybrid Open Access | 1545-5963 | 1557-9964 | SCIE  | 3.4                          | 3.3                   | Q1             | 1.5  | 0.00856     | 0.799                         | 9.7       |
| T-CI                | IEEE Transactions on Computational Imaging                                    | Hybrid Open Access | 2573-0436 | 2333-9403 | SCIE  | 4.8                          | 5.6                   | Q1             | 1.07 | 0.00623     | 1.668                         | 8.8       |
| T-CSS               | IEEE Transactions on Computational Social Systems                             | Hybrid Open Access | 2329-924X | 2329-924X | SCIE  | 4.9                          | 5.1                   | Q2             | 1.05 | 0.00917     | 0.990                         | 9.2       |
| T-CAD               | IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems | Hybrid Open Access | 0278-0070 | 1937-4151 | SCIE  | 2.9                          | 2.9                   | Q2             | 0.69 | 0.00735     | 0.549                         | 5.5       |
| T-C                 | IEEE Transactions on Computers                                                | Hybrid Open Access | 0018-9340 | 1557-9956 | SCIE  | 3.8                          | 3.7                   | Q2             | 0.95 | 0.00674     | 0.877                         | 8.1       |
| T-CE                | IEEE Transactions on Consumer Electronics                                     | Hybrid Open Access | 0098-3063 | 1558-4127 | SCIE  | 10.9                         | 8.6                   | Q1             | 1.88 | 0.00206     | 0.919                         | 5.5       |
| T-CNS               | IEEE Transactions on Control of Network Systems                               | Hybrid Open Access | 2325-5870 | 2372-2533 | SCIE  | 5.0                          | 4.7                   | Q2             | 1.04 | 0.01228     | 1.926                         | 7.8       |
| T-CST               | IEEE Transactions on Control Systems Technology                               | Hybrid Open Access | 1063-6536 | 1558-0865 | SCIE  | 3.9                          | 5.0                   | Q1             | 0.99 | 0.01451     | 1.440                         | 11.1      |
| T-CYB               | IEEE Transactions on Cybernetics                                              | Hybrid Open Access | 2168-2267 | 2168-2275 | SCIE  | 10.5                         | 11.6                  | Q1             | 1.90 | 0.08971     | 3.319                         | 25.7      |
| T-DSC               | IEEE Transactions on Dependable and Secure Computing                          | Hybrid Open Access | 1545-5971 | 1941-0018 | SCIE  | 7.5                          | 7.1                   | Q1             | 2.21 | 0.01246     | 1.547                         | 12.6      |

| IEEE Title List     |                                                                            |                    |           |           |       |                              |                       |                |      |             |                               |           |
|---------------------|----------------------------------------------------------------------------|--------------------|-----------|-----------|-------|------------------------------|-----------------------|----------------|------|-------------|-------------------------------|-----------|
| Publication Acronym | Publication Title                                                          | Open Access Type   | ISSN      | eISSN     | Index | Journal Impact Factor (JIF)* | 5-Year Impact Factor* | Quartile (JIF) | JCI  | Eigenfactor | Article Influence Score (AIS) | CiteScore |
| T-DMR               | IEEE Transactions on Device and Materials Reliability                      | Hybrid Open Access | 1530-4388 | 1558-2574 | SCIE  | 2.3                          | 2.2                   | Q3             | 0.51 | 0.00146     | 0.461                         | 4.9       |
| T-DEI               | IEEE Transactions on Dielectrics and Electrical Insulation                 | Hybrid Open Access | 1070-9878 | 1558-4135 | SCIE  | 3.1                          | 3.1                   | Q2             | 0.65 | 0.00551     | 0.491                         | 6.3       |
| T-E                 | IEEE Transactions on Education                                             | Hybrid Open Access | 0018-9359 | 1557-9638 | SCIE  | 2.0                          | 2.8                   | Q2             | 0.85 | 0.00104     | 0.448                         | 6.7       |
| T-EMC               | IEEE Transactions on Electromagnetic Compatibility                         | Hybrid Open Access | 0018-9375 | 1558-187X | SCIE  | 2.5                          | 2.4                   | Q3             | 0.52 | 0.00479     | 0.473                         | 5.2       |
| T-ED                | IEEE Transactions on Electron Devices                                      | Hybrid Open Access | 0018-9383 | 1557-9646 | SCIE  | 3.2                          | 3.3                   | Q2             | 0.69 | 0.02321     | 0.589                         | 6         |
| T-ETCI              | IEEE Transactions on Emerging Topics in Computational Intelligence         | Hybrid Open Access | 2471-285X | 2471-285X | SCIE  | 6.5                          | 6.6                   | Q1             | 1.06 | 0.00588     | 1.364                         | 9.7       |
| T-ETC               | IEEE Transactions on Emerging Topics in Computing                          | Hybrid Open Access | 2168-6750 | 2168-6750 | SCIE  | 5.4                          | 4.9                   | Q1             | 1.48 | 0.00472     | 1.112                         | 14.4      |
| T-EC                | IEEE Transactions on Energy Conversion                                     | Hybrid Open Access | 0885-8969 | 1558-0059 | SCIE  | 5.4                          | 5.6                   | Q2             | 1.02 | 0.01550     | 1.507                         | 12.8      |
| T-EMPR              | IEEE Transactions on Energy Markets, Policy and Regulation                 | Hybrid Open Access | N/A       | 2771-9626 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| T-EM                | IEEE Transactions on Engineering Management                                | Hybrid Open Access | 0018-9391 | 1558-0040 | SCIE  | 5.2                          | 5.7                   | Q2             | 1.12 | 0.01115     | 0.916                         | 9.7       |
| T-EVC               | IEEE Transactions on Evolutionary Computation                              | Hybrid Open Access | 1089-778X | 1941-0026 | SCIE  | 12.0                         | 14.5                  | Q1             | 2.91 | 0.01200     | 3.099                         | 23.5      |
| T-CASAI             | IEEE Transactions on Field Robotics                                        | Hybrid Open Access | 2997-1101 | 2997-1101 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| T-FUZZ              | IEEE Transactions on Fuzzy Systems                                         | Hybrid Open Access | 1063-6706 | 1941-0034 | SCIE  | 11.9                         | 10.8                  | Q1             | 2.76 | 0.03336     | 2.619                         | 20        |
| T-G                 | IEEE Transactions on Games                                                 | Hybrid Open Access | 2475-1502 | 2475-1510 | SCIE  | 2.8                          | 2.9                   | Q3             | 0.59 | 0.00074     | 0.392                         | 5.2       |
| T-GRS               | IEEE Transactions on Geoscience and Remote Sensing                         | Hybrid Open Access | 0196-2892 | 1558-0644 | SCIE  | 8.6                          | 8.8                   | Q1             | 1.94 | 0.09282     | 1.649                         | 13.6      |
| T-GCN               | IEEE Transactions on Green Communications and Networking                   | Hybrid Open Access | 2473-2400 | 2473-2400 | SCIE  | 6.7                          | 5.4                   | Q1             | 1.55 | 0.00698     | 1.324                         | 13.1      |
| T-H                 | IEEE Transactions on Haptics                                               | Hybrid Open Access | 1939-1412 | 2329-4051 | SCIE  | 2.8                          | 3.4                   | Q2             | 0.44 | 0.00216     | 0.683                         | 5.6       |
| T-HMS               | IEEE Transactions on Human-Machine Systems                                 | Hybrid Open Access | 2168-2291 | 2168-2305 | SCIE  | 4.4                          | 4.9                   | Q2             | 0.64 | 0.00362     | 1.096                         | 8.9       |
| T-IP                | IEEE Transactions on Image Processing                                      | Hybrid Open Access | 1057-7149 | 1941-0042 | SCIE  | 13.7                         | 13.7                  | Q1             | 2.21 | 0.08566     | 3.736                         | 22.5      |
| T-ICPS              | IEEE Transactions on Industrial Cyber-Physical Systems                     | Hybrid Open Access | N/A       | 2832-7004 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| T-IE                | IEEE Transactions on Industrial Electronics                                | Hybrid Open Access | 0278-0046 | 1557-9948 | SCIE  | 7.2                          | 7.8                   | Q1             | 1.89 | 0.09563     | 1.934                         | 16.8      |
| T-IINF              | IEEE Transactions on Industrial Informatics                                | Hybrid Open Access | 1551-3203 | 1941-0050 | SCIE  | 9.9                          | 10.7                  | Q1             | 2.27 | 0.08464     | 2.441                         | 22.5      |
| T-IA                | IEEE Transactions on Industry Applications                                 | Hybrid Open Access | 0093-9994 | 1939-9367 | SCIE  | 4.5                          | 4.7                   | Q2             | 1.21 | 0.03098     | 1.149                         | 10.1      |
| T-IFS               | IEEE Transactions on Information Forensics and Security                    | Hybrid Open Access | 1556-6013 | 1556-6021 | SCIE  | 8.0                          | 8.5                   | Q1             | 1.85 | 0.02553     | 1.997                         | 12.5      |
| T-IT                | IEEE Transactions on Information Theory                                    | Hybrid Open Access | 0018-9448 | 1557-9654 | SCIE  | 2.9                          | 2.8                   | Q3             | 0.99 | 0.02278     | 1.212                         | 5.5       |
| T-IM                | IEEE Transactions on Instrumentation and Measurement                       | Hybrid Open Access | 0018-9456 | 1557-9662 | SCIE  | 5.9                          | 6.0                   | Q1             | 1.37 | 0.06124     | 1.075                         | 10.1      |
| T-ITS               | IEEE Transactions on Intelligent Transportation Systems                    | Hybrid Open Access | 1524-9050 | 1558-0016 | SCIE  | 8.4                          | 9.5                   | Q1             | 1.86 | 0.07940     | 1.994                         | 17.8      |
| T-IV                | IEEE Transactions on Intelligent Vehicles                                  | Hybrid Open Access | 2379-8858 | 2379-8904 | SCIE  | 14.3                         | 13.1                  | Q1             | 3.05 | 0.01287     | 2.582                         | 17        |
| T-KDE               | IEEE Transactions on Knowledge and Data Engineering                        | Hybrid Open Access | 1041-4347 | 1558-2191 | SCIE  | 10.4                         | 9.6                   | Q1             | 2.71 | 0.03920     | 2.516                         | 15.7      |
| T-LT                | IEEE Transactions on Learning Technologies                                 | Hybrid Open Access | 1939-1382 | 1939-1382 | SCIE  | 4.9                          | 5.5                   | Q2             | 1.43 | 0.00229     | 0.926                         | 7.2       |
| T-MAG               | IEEE Transactions on Magnetics                                             | Hybrid Open Access | 0018-9464 | 1941-0069 | SCIE  | 1.9                          | 2.1                   | Q3             | 0.43 | 0.00989     | 0.459                         | 4.8       |
| T-MAT               | IEEE Transactions on Materials for Electron Devices                        | Hybrid Open Access | N/A       | 2993-1576 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| T-MI                | IEEE Transactions on Medical Imaging                                       | Hybrid Open Access | 0278-0062 | 1558-254X | SCIE  | 9.8                          | 11.3                  | Q1             | 2.27 | 0.03815     | 3.018                         | 18.3      |
| T-MRB               | IEEE Transactions on Medical Robotics and Bionics                          | Hybrid Open Access | N/A       | 2576-3202 | ESCI  | 3.8                          | 4.2                   | Q2             | 0.81 | 0.00316     | 1.011                         | 6.8       |
| T-MTT               | IEEE Transactions on Microwave Theory and Techniques                       | Hybrid Open Access | 0018-9480 | 1557-9670 | SCIE  | 4.5                          | 5.0                   | Q1             | 1.03 | 0.02117     | 0.997                         | 9.3       |
| T-MC                | IEEE Transactions on Mobile Computing                                      | Hybrid Open Access | 1536-1233 | 1558-0660 | SCIE  | 9.2                          | 8.1                   | Q1             | 2.58 | 0.01999     | 1.732                         | 11.9      |
| T-MBMS              | IEEE Transactions on Molecular, Biological, and Multi-Scale Communications | Hybrid Open Access | N/A       | 2332-7804 | ESCI  | 2.3                          | 2.3                   | Q3             | 0.56 | 0.00060     | 0.545                         | 4.2       |
| T-MM                | IEEE Transactions on Multimedia                                            | Hybrid Open Access | 1520-9210 | 1941-0077 | SCIE  | 9.7                          | 9.0                   | Q1             | 2.59 | 0.03210     | 2.102                         | 12.9      |
| T-NB                | IEEE Transactions on NanoBioscience                                        | Hybrid Open Access | 1536-1241 | 1558-2639 | SCIE  | 4.4                          | 3.5                   | Q2             | 1.11 | 0.00176     | 0.603                         | 8.2       |
| T-NANO              | IEEE Transactions on Nanotechnology                                        | Hybrid Open Access | 1536-125X | 1941-0085 | SCIE  | 2.5                          | 2.5                   | Q3             | 0.43 | 0.00196     | 0.408                         | 4.4       |
| T-NSM               | IEEE Transactions on Network and Service Management                        | Hybrid Open Access | 1932-4537 | 1932-4537 | SCIE  | 5.4                          | 5.5                   | Q1             | 1.34 | 0.01123     | 1.040                         | 10.5      |
| T-NSE               | IEEE Transactions on Network Science and Engineering                       | Hybrid Open Access | 2327-4697 | 2327-4697 | SCIE  | 7.9                          | 6.9                   | Q1             | 2.65 | 0.01714     | 1.720                         | 13.1      |
| T-ON                | IEEE Transactions on Networking                                            | Hybrid Open Access | 1063-6692 | 1558-2566 | SCIE  | 3.6                          | 4.2                   | Q1             | 0.84 | 0.00834     | 0.923                         | 7.4       |
| T-NNLS              | IEEE Transactions on Neural Networks and Learning Systems                  | Hybrid Open Access | 2162-237X | 2162-2388 | SCIE  | 8.9                          | 11.1                  | Q1             | 2.21 | 0.10394     | 3.070                         | 24.7      |
| T-NS                | IEEE Transactions on Nuclear Science                                       | Hybrid Open Access | 0018-9499 | 1558-1578 | SCIE  | 1.9                          | 1.9                   | Q3             | 0.68 | 0.00467     | 0.376                         | 3.9       |
| T-PDS               | IEEE Transactions on Parallel and Distributed Systems                      | Hybrid Open Access | 1045-9219 | 1558-2183 | SCIE  | 6.0                          | 5.6                   | Q1             | 1.60 | 0.01320     | 1.379                         | 14.9      |
| T-PAMI              | IEEE Transactions on Pattern Analysis and Machine Intelligence             | Hybrid Open Access | 0162-8828 | 1939-3539 | SCIE  | 18.6                         | 20.4                  | Q1             | 4.66 | 0.11475     | 5.915                         | 35        |
| T-PS                | IEEE Transactions on Plasma Science                                        | Hybrid Open Access | 0093-3813 | 1939-9375 | SCIE  | 1.5                          | 1.4                   | Q3             | 0.47 | 0.00612     | 0.272                         | 2.8       |
| T-PWRD              | IEEE Transactions on Power Delivery                                        | Hybrid Open Access | 0885-8977 | 1937-4208 | SCIE  | 3.7                          | 4.1                   | Q2             | 0.96 | 0.01476     | 0.994                         | 10.3      |
| T-PEL               | IEEE Transactions on Power Electronics                                     | Hybrid Open Access | 0885-8993 | 1941-0107 | SCIE  | 6.5                          | 7.0                   | Q1             | 1.59 | 0.07476     | 1.568                         | 15.3      |
| T-PWRS              | IEEE Transactions on Power Systems                                         | Hybrid Open Access | 0885-8950 | 1558-0679 | SCIE  | 7.2                          | 7.9                   | Q1             | 1.70 | 0.03949     | 2.024                         | 15.9      |
| T-PC                | IEEE Transactions on Professional Communication                            | Hybrid Open Access | 0361-1434 | 1558-1500 | SSCI  | 1.8                          | 1.9                   | Q2             | 0.63 | 0.00037     | 0.369                         | 3.5       |
| T-RS                | IEEE Transactions on Radar Systems                                         | Hybrid Open Access | N/A       | 2832-7357 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| T-RPMS              | IEEE Transactions on Radiation and Plasma Medical Sciences                 | Hybrid Open Access | 2469-7311 | 2469-7303 | ESCI  | 3.5                          | 4.1                   | Q1             | 1.57 | 0.00312     | 0.983                         | 10.5      |
| T-R                 | IEEE Transactions on Reliability                                           | Hybrid Open Access | 0018-9529 | 1558-1721 | SCIE  | 5.7                          | 5.9                   | Q1             | 1.44 | 0.00629     | 1.226                         | 11.6      |
| T-RL                | IEEE Transactions on Robot Learning <b>Coming in 2026!</b>                 | Hybrid Open Access | N/A       | 3070-1120 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| T-RO                | IEEE Transactions on Robotics                                              | Hybrid Open Access | 1552-3098 | 1941-0468 | SCIE  | 10.5                         | 11.5                  | Q1             | 2.26 | 0.02273     | 3.207                         | 19.3      |
| T-SCM               | IEEE Transactions on Semiconductor Manufacturing                           | Hybrid Open Access | 0894-6507 | 1558-2345 | SCIE  | 2.3                          | 2.9                   | Q2             | 0.47 | 0.00152     | 0.523                         | 4.5       |
| T-SC                | IEEE Transactions on Services Computing                                    | Hybrid Open Access | 1939-1374 | 1939-1374 | SCIE  | 5.8                          | 5.7                   | Q1             | 1.95 | 0.00852     | 1.180                         | 10.8      |
| T-SIPN              | IEEE Transactions on Signal and Information Processing over Networks       | Hybrid Open Access | 2373-776X | 2373-776X | SCIE  | 4.9                          | 4.1                   | Q2             | 0.94 | 0.00314     | 1.261                         | 6.8       |
| T-SPI               | IEEE Transactions on Signal and Power Integrity                            | Hybrid Open Access | N/A       | 2768-1866 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| T-SP                | IEEE Transactions on Signal Processing                                     | Hybrid Open Access | 1053-587X | 1941-0476 | SCIE  | 5.8                          | 6.3                   | Q1             | 1.25 | 0.03299     | 1.963                         | 11.9      |
| T-SG                | IEEE Transactions on Smart Grid                                            | Hybrid Open Access | 1949-3053 | 1949-3061 | SCIE  | 9.8                          | 10.7                  | Q1             | 2.22 | 0.04973     | 2.684                         | 21.1      |
| T-SE                | IEEE Transactions on Software Engineering                                  | Hybrid Open Access | 0098-5589 | 1939-3520 | SCIE  | 5.6                          | 6.4                   | Q1             | 1.76 | 0.00699     | 1.066                         | 12.9      |
| T-SUSC              | IEEE Transactions on Sustainable Computing                                 | Hybrid Open Access | 2377-3782 | 2377-3782 | SCIE  | 3.9                          | 3.5                   | Q2             | 0.94 | 0.00153     | 0.741                         | 8         |
| T-SITE              | IEEE Transactions on Sustainable Energy                                    | Hybrid Open Access | 1949-3029 | 1949-3037 | SCIE  | 10.0                         | 9.3                   | Q1             | 1.81 | 0.02139     | 2.503                         | 21.1      |
| T-SMC               | IEEE Transactions on Systems, Man, and Cybernetics: Systems                | Hybrid Open Access | 2168-2216 | 2168-2232 | SCIE  | 8.7                          | 9.1                   | Q1             | 1.67 | 0.05558     | 2.442                         | 20.5      |
| T-TS                | IEEE Transactions on Technology and Society                                | Hybrid Open Access | N/A       | 2637-6415 | N/A   | N/A                          | N/A                   | N/A            | N/A  | N/A         | N/A                           | N/A       |
| T-THZ               | IEEE Transactions on Terahertz Science and Technology                      | Hybrid Open Access | 2156-342X | 2156-3446 | SCIE  | 4.0                          | 3.8                   | Q2             | 0.93 | 0.00250     | 0.816                         | 6.8       |
| T-TE                | IEEE Transactions on Transportation Electrification                        | Hybrid Open Access | 2332-7782 | 2332-7782 | SCIE  | 8.3                          | 8.9                   | Q1             | 1.73 | 0.02101     | 2.066                         | 12.5      |

| IEEE Title List                                                                                      | Publication Acronym                                                     | Publication Title            | Open Access Type | ISSN      | eISSN | Index | Journal Impact Factor (JIF)* | 5-Year Impact Factor* | Quartile (JIF) | JCI     | Eigenfactor | Article Influence Score (AIS) | CiteScore |
|------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------|------------------|-----------|-------|-------|------------------------------|-----------------------|----------------|---------|-------------|-------------------------------|-----------|
| T-UFFC                                                                                               | IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control | Hybrid Open Access           | 0885-3010        | 1525-8955 | SCIE  | 3.7   | 3.5                          | Q1                    | 0.95           | 0.00751 | 0.757       | 8.3                           |           |
| T-VT                                                                                                 | IEEE Transactions on Vehicular Technology                               | Hybrid Open Access           | 0018-9545        | 1939-9359 | SCIE  | 7.1   | 7.4                          | Q1                    | 1.50           | 0.08718 | 1.780       | 12.1                          |           |
| T-VLSI                                                                                               | IEEE Transactions on Very Large Scale Integration (VLSI) Systems        | Hybrid Open Access           | 1063-8210        | 1557-9999 | SCIE  | 3.1   | 3.1                          | Q2                    | 0.68           | 0.00588 | 0.642       | 6.1                           |           |
| T-VGC                                                                                                | IEEE Transactions on Visualization and Computer Graphics                | Hybrid Open Access           | 1077-2626        | 1941-0506 | SCIE  | 6.5   | 6.4                          | Q1                    | 1.59           | 0.01645 | 1.229       | 10.2                          |           |
| T-WC                                                                                                 | IEEE Transactions on Wireless Communications                            | Hybrid Open Access           | 1536-1276        | 1558-2248 | SCIE  | 10.7  | 11.4                         | Q1                    | 2.45           | 0.07388 | 3.108       | 17.3                          |           |
| M-VT                                                                                                 | IEEE Vehicular Technology Magazine                                      | Hybrid Open Access           | 1556-6072        | 1556-6080 | SCIE  | 7.2   | 11.3                         | Q1                    | 1.47           | 0.00556 | 3.248       | 12.4                          |           |
| M-WC                                                                                                 | IEEE Wireless Communications                                            | Hybrid Open Access           | 1536-1284        | 1558-0687 | SCIE  | 11.5  | 13.0                         | Q1                    | 2.57           | 0.02008 | 3.839       | 21.0                          |           |
| L-WC                                                                                                 | IEEE Wireless Communications Letters                                    | Hybrid Open Access           | 2162-2337        | 2162-2345 | SCIE  | 5.5   | 5.9                          | Q1                    | 1.29           | 0.03421 | 1.753       | 10.5                          |           |
| J-AS                                                                                                 | IEEE-CAA Journal of Automatica Sinica                                   | Hybrid Open Access           | 2329-9266        | 2329-9274 | SCIE  | 19.2  | 13.1                         | Q1                    | 2.92           | 0.01895 | 3.355       | 28.2                          |           |
| T-MECH                                                                                               | IEEE/ASME Transactions on Mechatronics                                  | Hybrid Open Access           | 1083-4435        | 1941-014X | SCIE  | 7.3   | 7.1                          | Q1                    | 1.49           | 0.02538 | 1.639       | 13.2                          |           |
| M-ITPRO                                                                                              | IT Professional                                                         | Hybrid Open Access           | 1520-9202        | 1941-045X | SCIE  | 2.6   | 2.7                          | Q3                    | 0.55           | 0.00105 | 0.472       | 5.1                           |           |
| J-LT                                                                                                 | Journal of Lightwave Technology                                         | Hybrid Open Access           | 0733-8724        | 1558-2213 | SCIE  | 4.8   | 4.7                          | Q2                    | 1.20           | 0.02615 | 0.805       | 9.5                           |           |
| J-MEMS                                                                                               | Journal of Microelectromechanical Systems                               | Hybrid Open Access           | 1057-7157        | 1941-0158 | SCIE  | 3.1   | 3.0                          | Q2                    | 0.59           | 0.00251 | 0.505       | 6.2                           |           |
| PROC                                                                                                 | Proceedings of the IEEE                                                 | Hybrid Open Access           | 0018-9219        | 1558-2256 | SCIE  | 25.9  | 25.0                         | Q1                    | 6.00           | 0.02446 | 6.863       | 71.1                          |           |
| M-AES                                                                                                | IEEE Aerospace and Electronic Systems Magazine                          | Subscriber Based Access Only | 0885-8985        | 1557-959X | SCIE  | 3.8   | 3.8                          | Q1                    | 1.04           | 0.00187 | 0.887       | 9.3                           |           |
| M-CAS                                                                                                | IEEE Circuits and Systems Magazine                                      | Subscriber Based Access Only | 1531-636X        | 1558-0830 | SCIE  | 3.5   | 6.0                          | Q1                    | 1.08           | 0.00097 | 1.497       | 8.1                           |           |
| M-CI                                                                                                 | IEEE Computational Intelligence Magazine                                | Subscriber Based Access Only | 1556-603X        | 1556-6048 | SCIE  | 11.2  | 9.3                          | Q1                    | 1.63           | 0.00217 | 2.409       | 15.5                          |           |
| M-CE                                                                                                 | IEEE Consumer Electronics Magazine                                      | Subscriber Based Access Only | 2162-2248        | 2162-2256 | SCIE  | 4.1   | 3.4                          | Q2                    | 1.24           | 0.00158 | 0.554       | 11.1                          |           |
| M-CS                                                                                                 | IEEE Control Systems                                                    | Subscriber Based Access Only | 1066-033X        | 1941-000X | SCIE  | 6.3   | 7.1                          | Q1                    | 1.03           | 0.00247 | 2.564       | 5.1                           |           |
| M-D&T                                                                                                | IEEE Design & Test                                                      | Subscriber Based Access Only | 2168-2356        | 2168-2364 | SCIE  | 1.9   | 1.9                          | Q3                    | 0.40           | 0.00077 | 0.356       | 3.8                           |           |
| E-M                                                                                                  | IEEE Electrification Magazine                                           | Subscriber Based Access Only | 2325-5897        | 2325-5889 | ESCI  | 3.0   | 3.4                          | Q2                    | 0.62           | 0.00106 | 0.881       | 6                             |           |
| ESM                                                                                                  | IEEE Energy Sustainability Magazine <b>NEW for 2025!</b>                | Subscriber Based Access Only | 2998-3991        | 2998-4009 | N/A   | N/A   | N/A                          | N/A                   | N/A            | N/A     | N/A         | N/A                           |           |
| M-IE                                                                                                 | IEEE Industrial Electronics Magazine                                    | Subscriber Based Access Only | 1932-4529        | 1941-0115 | SCIE  | 4.1   | 6.7                          | Q1                    | 1.06           | 0.00219 | 1.696       | 11.7                          |           |
| M-ITS                                                                                                | IEEE Intelligent Transportation Systems Magazine                        | Subscriber Based Access Only | 1939-1390        | 1941-1197 | SCIE  | 5.0   | 4.9                          | Q1                    | 1.00           | 0.00329 | 1.092       | 11.5                          |           |
| TLA                                                                                                  | IEEE Latin America Transactions                                         | Subscriber Based Access Only | 1548-0992        | 1548-0992 | SCIE  | 1.3   | 1.0                          | Q4                    | 0.32           | 0.00139 | 0.168       | 4                             |           |
| M-MW                                                                                                 | IEEE Microwave Magazine                                                 | Subscriber Based Access Only | 1527-3342        | 1557-9581 | SCIE  | 2.6   | 3.7                          | Q2                    | 0.69           | 0.00229 | 0.869       | 3.9                           |           |
| M-NANO                                                                                               | IEEE Nanotechnology Magazine                                            | Subscriber Based Access Only | 1932-4510        | 1942-7808 | ESCI  | 2.7   | 2.4                          | Q4                    | 0.28           | 0.00052 | 0.557       | 4                             |           |
| STM                                                                                                  | IEEE Potentials                                                         | Subscriber Based Access Only | 0278-6648        | 1558-1772 | N/A   | N/A   | N/A                          | N/A                   | N/A            | N/A     | N/A         | 1.3                           |           |
| M-P&E                                                                                                | IEEE Power and Energy Magazine                                          | Subscriber Based Access Only | 1540-7977        | 1558-4216 | SCIE  | 2.2   | 3.0                          | Q2                    | 0.70           | 0.00143 | 0.816       | 5.7                           |           |
| M-PEL                                                                                                | IEEE Power Electronics Magazine                                         | Subscriber Based Access Only | 2329-9207        | 2329-9215 | ESCI  | 2.4   | 2.6                          | Q2                    | 0.49           | 0.00064 | 0.688       | 2.9                           |           |
| M-PULSE                                                                                              | IEEE Pulse                                                              | Subscriber Based Access Only | 2154-2287        | 2154-2317 | SCIE  | 0.2   | 0.4                          | Q4                    | 0.06           | 0.00012 | 0.084       | 0.7                           |           |
| M-SP                                                                                                 | IEEE Signal Processing Magazine                                         | Subscriber Based Access Only | 1053-5888        | 1558-0792 | SCIE  | 9.6   | 16.7                         | Q1                    | 2.26           | 0.01235 | 5.144       | 20.5                          |           |
| M-SSC                                                                                                | IEEE Solid-State Circuits Magazine                                      | Subscriber Based Access Only | 1943-0582        | 1943-0590 | N/A   | N/A   | N/A                          | N/A                   | N/A            | N/A     | N/A         | 2.4                           |           |
| M-SMC                                                                                                | IEEE Systems, Man, and Cybernetics Magazine                             | Subscriber Based Access Only | 2380-1298        | 2333-942X | ESCI  | 1.5   | 2.1                          | Q3                    | 0.26           | 0.00032 | 0.406       | N/A                           |           |
| M-T&S                                                                                                | IEEE Technology and Society Magazine                                    | Subscriber Based Access Only | 0278-0097        | 1937-416X | SCIE  | 1.9   | 2.1                          | Q3                    | 0.37           | 0.00050 | 0.463       | 3.5                           |           |
| M-WIE                                                                                                | IEEE Women in Engineering Magazine                                      | Subscriber Based Access Only | 1942-065X        | 1942-0668 | N/A   | N/A   | N/A                          | N/A                   | N/A            | N/A     | N/A         | 0                             |           |
| *Data based on the 2024 Journal Citation Reports™ (JCR) study, released in June 2025                 |                                                                         |                              |                  |           |       |       |                              |                       |                |         |             |                               |           |
| 2024 CiteScore Metrics from Scopus, released June 2025                                               |                                                                         |                              |                  |           |       |       |                              |                       |                |         |             |                               |           |
| **Ranking is for the former title: IEEE Microwave and Wireless Components Letters                    |                                                                         |                              |                  |           |       |       |                              |                       |                |         |             |                               |           |
| † Ranking is for the former title: IEEE/ACM Transactions on Audio, Speech, and Language Processing   |                                                                         |                              |                  |           |       |       |                              |                       |                |         |             |                               |           |
| ‡ Ranking is for the former title: IEEE/ACM Transactions on Computational Biology and Bioinformatics |                                                                         |                              |                  |           |       |       |                              |                       |                |         |             |                               |           |
| § Ranking is for the former title: IEEE/ACM Transactions on Networking                               |                                                                         |                              |                  |           |       |       |                              |                       |                |         |             |                               |           |
| All data is accurate as of 1 January 2026 and is subject to change                                   |                                                                         |                              |                  |           |       |       |                              |                       |                |         |             |                               |           |